

TABLE OF CONTENTS

	Title	Page No.
Abstract		i-ii
Declaration		iii
Certificate of the supervisor		iv
Acknowledgement		v-vii
Contents		viii-xiv
List of tables		xv-xvi
List of figures		xvii-xviii
Abbreviations		xix-xx
Chapter 1		1-6
Introduction		
Chapter 2		7-39
Review of literature		
2.1. Introduction		7
2.2. Assam lemon		8
2.3. Chemical structure of citrus pectin		9
2.4. Citrus pectin and their properties		10
2.5. Extraction of pectin		11
2.5.1. Conventional extraction		11
2.5.2. Microwave assisted extraction (MAE)		16
2.5.3. Ultrasound-assisted extraction (UAE)		16
2.5.4. High pressure assisted extraction (HPAE)		17
2.5.5. Enzyme assisted extraction (EAE)		18
2.5.6. Hydro-cavitation assisted extraction		19
2.5.7. Combination of non-conventional techniques		20
2.6. Rheological properties of pectin		20

2.7.	Modification of pectin	22
2.7.1.	Substitution	22
2.7.2.	Chain elongation	25
2.7.3.	Depolymerisation	25
2.8.	Pectin complex	26
2.8.1.	Pectin-protein complex	26
2.8.2.	Pectin- polyphenol complex	27
2.8.3.	Pectin-lipid complex	28
2.8.4.	Pectin-mineral complex	29
	2.8.4.1. Pectin-iron complex	30
2.9.	Applications of citrus pectin in food systems	31
2.9.1.	Confectionary	32
2.9.2.	Dairy-based products	32
2.9.3.	Beverages	33
2.9.4.	Food packaging	36
2.9.5.	In the fabrication of 3D printed food	37
2.9.6.	Food additive	37
	2.9.6.1. Fruit leather	38

Chapter 3 40-60

To standardize the microwave and ultrasound assisted extraction of pectin from Assam lemon peel and its physicochemical characterization

3.1.	Introduction	40
3.2.	Materials and Methods	41
3.2.1.	Raw materials and chemicals	41
3.2.2.	Experimental design	42
3.2.3.	Extraction of pectin	43
3.2.3.1.	Conventional extraction (CE)	43
3.2.3.2.	Microwave-assisted extraction (MAE)	43

3.2.3.3.	Ultrasound-assisted extraction (UAE)	43
3.2.4.	Purification of pectin	44
3.2.5.	Physicochemical properties of pectin	44
3.2.5.1.	Yield of pectin (%)	44
3.2.5.2.	Determination of degree of esterification (DE)	45
3.2.6.	Structural properties of pectin	45
3.2.6.1.	Fourier transform infrared (FTIR) analysis	45
3.2.6.2.	X-ray diffraction (XRD) analysis	45
3.2.6.3.	Scanning electron microscopy (SEM)	46
3.2.7.	Statistical analysis	46
3.3.	Results and Discussion	46
3.3.1.	Modelling and optimization of CE of pectin from Assam lemon peel	46
3.3.2.	Modelling and optimization of MAE of pectin from Assam lemon peel	50
3.3.3.	Modelling and optimization of UAE of pectin from Assam lemon peel	52
3.3.4.	Characterization and comparison of pectin extracted in CE, MAE and UAE optimized conditions	56
3.3.4.1.	DE of extracted pectin	56
3.3.4.2.	FTIR analysis of extracted pectin	57
3.3.4.3.	XRD crystallinity analysis of extracted pectin	58
3.3.4.4.	Surface morphology of extracted pectin	59

Chapter 4 **61-92**

To synthesize pectin-iron complex from Assam lemon peel pectin, its characterization and iron bio-accessibility

4.1.	Introduction	61
------	--------------	----

4.2.	Materials and Methods	62
4.2.1.	Raw materials and chemicals	62
4.2.2.	Pectin extraction and its purification	62
4.2.3.	Formulation and experimental design of the PIC	63
4.2.4.	Determination of Fe content in PIC	64
4.2.5.	Physicochemical properties of PIC	65
4.2.5.1.	Determination of degree of esterification (DE)	65
4.2.5.2.	Galacturonic acid	65
4.2.5.3.	Methoxyl group content	65
4.2.5.4.	Molecular weight estimation	66
4.2.6.	Structural properties of PIC	66
4.2.6.1.	Fourier transform infrared (FTIR) analysis	66
4.2.6.2.	X-ray diffraction (XRD) analysis	66
4.2.6.3.	Scanning electron microscopy (SEM)	67
4.2.7.	Rheological study of PIC	67
4.2.7.1.	Preparation of pectin and PIC solutions	67
4.2.7.2.	Flow behaviour analysis	67
4.2.7.3.	Viscoelastic properties analysis	68
4.2.8.	Thermal study of PIC	68
4.2.8.1.	Differential Scanning Colorimetry	68
4.2.8.2.	Thermogravimetric analysis	68
4.2.9.	<i>In vitro</i> Fe release from PIC for assessment of bioaccessible Fe	68
4.2.10.	Quantification of bioaccessible Fe	69
4.2.11.	Fe release study from PIC using Caco-2 cells	69
4.2.12.	Statistical analysis	73
4.3.	Results and Discussion	73

4.3.1.	Formulation and optimization of PIC	73
4.3.2.	Physicochemical properties of PIC in comparison with pectin	75
4.3.2.1.	Proximate analysis	75
4.3.2.2.	Degree of Esterification (DE)	75
4.3.2.3.	Galacturonic acid	75
4.3.2.4.	Methoxyl group content	76
4.3.2.5.	Molecular weight of PIC	76
4.3.3.	Structural characterization of PIC in comparison with pectin	77
4.3.3.1.	Fourier Transform Infrared (FTIR) Spectroscopy	77
4.3.3.2.	X-Ray diffraction (XRD)	79
4.3.3.3.	Scanning Electron Microscopy (SEM)	80
4.3.4.	Rheological analysis of PIC in comparison with pectin	82
4.3.4.1.	Flow behaviour	82
4.3.4.2.	Modelling rheological behaviour	84
4.3.4.3.	Viscoelastic properties of PIC solutions	85
4.3.5.	Thermal analysis of PIC in comparison with pectin	88
4.3.5.1.	Differential Scanning Colorimetry (DSC)	88
4.3.5.2.	Thermogravimetric (TGA) analysis	89
4.3.6.	<i>In-vitro</i> iron release from PIC	90
4.3.7.	Iron release study from PIC using Caco-2 cells	92

Chapter 5 **93-111**

**To develop a functional food product using pectin-iron complex and
study its storage stability**

5.1.	Introduction	93
------	--------------	----

5.2.	Materials and Methods	94
5.2.1.	Preparation of sample	94
5.2.2.	Pectin iron complex (PIC) preparation	94
5.2.3.	Experimental design of the pineapple leather	95
5.2.4.	Storage studies	96
5.2.5.	Quality attributes of fruit leather	96
5.2.5.1.	Proximate analysis	96
5.2.5.2.	Extraction method for total phenolic content and Antioxidant activity	96
5.2.5.3.	Total phenolic content	96
5.2.5.4.	DPPH free radical scavenging activity assay	97
5.2.5.5.	Browning index	97
5.2.5.6.	Sensory analysis	97
5.2.5.7.	pH	98
5.2.5.8.	Water activity	98
5.2.5.9.	Microbial analysis	98
5.2.6.	Statistical analysis	98
5.3.	Results and Discussion	98
5.3.1.	Experimental modelling of mixture design and optimization	98
5.3.2.	Effect of dependent variables on properties of PL	101
5.3.2.1.	TPC of PL	102
5.3.2.2.	DPPH free radical scavenging activity of PL	102
5.3.2.3.	Browning index	103
5.3.2.4.	Overall sensorial acceptance	104
5.3.2.5.	Proximate composition of formulated PL	105
5.3.3.	Proximate composition of PL	105

5.3.4.	Quality attributes of PL during storage period of PL	105
5.3.4.1.	Moisture, water activity and pH	105
5.3.4.2.	Browning index	107
5.3.4.3.	Total phenolic content and antioxidant activity	107
5.3.4.4.	Texture analysis	108
5.3.4.5.	Microbiological assay	110
Chapter 6		112-116
Summary, Conclusion and Future Scope		
6.1.	Summary	112
6.2.	Conclusion	114
6.3.	Future scope of work	115
References		117-161
Appendix		162-174