

Dedicated to
my beloved parents

DECLARATION BY THE CANDIDATE

I hereby declare that the thesis entitled “*Developing facile plasmonic nanostructures and their application in sensing prominent adulterants in cattle milk*”, submitted to the **School of Sciences, Tezpur University**, Tezpur, Assam in partial fulfilment of the requirements for the award of the degree of Doctor of Philosophy in Physics, is a record of original work carried out by me at **Department of Physics, Tezpur University**, Assam, under the supervision of **Dr. Rajib Biswas**, Associate Professor, **Department of Physics, Tezpur University**. Any text, figures, theories, results or designs that are not my own devising are appropriately referenced in order to give due credit to the original author(s). All sources of assistance are duly acknowledged. I also declare that neither this work as a whole nor a part of it has been submitted to another university or institute for any degree, diploma, associateship, fellowship, or any other similar title or recognition.

Date: 22/08/2025

Place: Tezpur University, Assam

Upama Das.

(Upama Das)

Registration No. **TZ203794** of **2021**



TEZPUR UNIVERSITY

(A Central University by an Act of Parliament)

Department of Physics

Tezpur-784028, ASSAM, INDIA

Dr. Rajib Biswas

Ph. +91-3712-275564 (O)

Associate Professor

+91-9954313970 (M)

Department of Physics

Email: rajib@tezu.ernet.in

Tezpur University, Tezpur

CERTIFICATE OF THE SUPERVISOR

This is to certify that the thesis entitled “**Developing facile plasmonic nanostructures and their application in sensing prominent adulterants in cattle milk**”, submitted to the **School of Sciences, Tezpur University**, in partial fulfilment for the award of the Degree of Doctor of Philosophy in Physics is a record of research work carried out by **Ms. Upama Das** under my supervision and guidance.

All help received by her from various sources have been duly acknowledged.

No part of this thesis has been submitted elsewhere for any award or any other degree.

Date: 22/08/2025

Place: Tezpur University, Assam

(Dr. Rajib Biswas)

Associate Professor

Department of Physics

Tezpur University, Assam

ACKNOWLEDGEMENT

"We must find time to stop and thank the people who make a difference in our lives." -
John F. Kennedy

To begin with, I extend my heartfelt gratitude to my esteemed supervisor - **Dr. Rajib Biswas**, Associate Professor, Department of Physics, Tezpur University, Assam. His comprehensive guidance, continuous support, motivation, patience, and invaluable advice have been pivotal throughout this journey. His insightful counsel has been crucial in helping me achieve my research goals.

I also want to sincerely thank my Doctoral Committee members: **Prof. Pabitra Nath**, Professor, Department of Physics, Tezpur University and **Prof. Dambarudhar Mahanta**, Professor, Department of Physics, Tezpur University. Their constructive feedback, valuable suggestions, timely advice, and insightful guidance have been instrumental in my progress throughout my PhD research.

Additionally, I gratefully acknowledge our Hon'ble Vice-Chancellor, Prof. Shambhu Nath Singh, former Vice-Chancellor Prof. Vinod Kumar Jain, and Prof. Dhruba Kumar Bhattacharya (acting), for their support, guidance, inspiration, and providing all the necessary facilities for carrying out my research.

My sincere thanks also go to the Head of the Department of Physics, Tezpur University, Prof. Pabitra Nath, and former Heads Prof. Nidhi Bhattacharya and Prof. Mrinal Kumar Das, for their constant support, advice, and guidance, as well as for providing all necessary instrumental facilities. I am also thankful to all the faculty members of the Department of Physics, Tezpur University for their continuous support, encouragement, and helpful suggestions.

I would like to acknowledge the Department of Physics, Tezpur University, for providing facilities like UV-Visible spectrophotometer, utility labs and electrical measurement setups. My heartfelt thanks extend to Sophisticated Analytical Instrumentation Centre (SAIC), Tezpur University for X-ray diffraction (XRD), Fourier transform infrared spectroscopy (FTIR), Field emission scanning electron microscope (FESEM), Transmission electron microscope (TEM), and High-performance liquid

chromatography (HPLC) instrumentation facilities. I also express my gratitude to DBT-BIRAC for providing the UV-Vis spectrophotometer, 3D printer, Electrochemical Setup, and the pH meter, which were crucial throughout my research work. I am very grateful to SAIC, Institute of Advanced Study in Science and Technology (IASST), Guwahati (under Department of Science and Technology, Government of India) for providing access to the Zetasizer and Atomic force microscopy (AFM) facilities. I would also like to thank to USIC, Central Instruments Facility (CIF), and Sophisticated Analytical Instrument Facility (SAIF) Guwahati University, for providing access to FESEM and P-XRD facilities, respectively. My thanks also go to CSIR-North East Institute of Science and Technology (NEIST) for providing the FESEM and TEM facilities. I would also like to acknowledge the North East Centre for Biological Sciences and Healthcare Engineering (NECBH), Indian Institute of Technology (IIT) Guwahati, and the Department of Biotechnology (DBT), Govt. of India, Project code: BT/NER/143/SP44675/2023 for providing FESEM, AFM and P-XRD facilities. I am deeply indebted to Prof. Gazi Ameen Ahmed for allowing access to his laboratory facilities, and to Dr. Nirmal Mazumder from the Department of Biophysics, School of Life Sciences, Manipal Academy of Higher Education (MAHE), Manipal, India, for his consistent support and guidance.

My acknowledgment extends to the technical officers and staff of the Department of Physics, Tezpur University: Dr. Kishore Baruah, Mr. Dhruba Deka, Mr. Mrinmoy Gohain, Mr. Biju Boro, and Mr. Palash Dutta for their invaluable support. I also extend my sincere thanks to the present and former office staffs of the Department of Physics: Mr. Narayan Sarma, Mr Suman Sharma and Mr. Umesh Patir for their assistance with official matters. I am grateful to Dr. Ratan Baruah, Mr. Mrinmoy Gohain, Mr. Tridip R. Nath, Mr. Prakash Kurmi, Mr. Nava Kr. Gogoi, Mr. Mahendra Das (SAIC), and Mr. Biplob Ojha (Department of Chemical Sciences) for their support, help, and cooperation.

I gratefully acknowledge the financial assistance received from the **Department of Science and Technology (DST)**, Government of India, for **DST INSPIRE fellowship (DST/INSPIRE Fellowship/2019/IF190914)**. I also acknowledge DST-SERB (ANRF) for providing the International Travel Scheme (ITS), allowing me to showcase my research work at an international conference.

I am thankful to my former lab-mates Ashamoni Baa, Vickey Daa, Bijoy Daa and my fellow lab mates Nikhil Daa, Kaushik, Shahnaz, Pohar, Prakash and Neelam for their

help, advice, cooperation, and inspiring words throughout the course of my research. I extend my appreciation to my beloved friends Ankita, Bhabana, and Tanushree Baa, for their constant support and inspiration. I am also extremely thankful to all my seniors, juniors and batchmates, for their continuous support and constructive advice.

I am also very grateful to the research scholars of the Departments of Microbiology and Biotechnology, and Department of Chemical Sciences, Tezpur University for their cooperation and help. Special thanks to Bhaskar Daa for his cooperation and assistance. I extend my heartfelt thanks and gratitude towards Dr. Hemen Kumar Kalita (Gauhati University, Assam, India), Dr. Bimal Kumar Sarma (Gauhati University, Assam, India), Prof. Serge Zhuiykov (Ghent University Global Campus, South Korea), and Prof. Karun Rawat (IIT Roorkee, Uttarakhand, India) for their advice, kind words, and guidance.

I am deeply grateful to my parents, my *maa* **Sanwli Das** and my *baba* **Utpal Das**, for their unconditional love, support, inspiration, and motivation. I am also very grateful to my beloved friends Bhanupriya, and Tarunodoy for their constant motivation, support, relentless inspiration, and belief in me. Their faith in me has fuelled my journey.

Finally, I want to sincerely thank everyone who has selflessly helped me throughout my research journey with their moral and financial support, contributing to the improvement of my research career and the accomplishment of my goals.

I apologize if I have inadvertently overlooked anyone or left out any names. Nonetheless, I am thankful to everyone, as their presence has made this journey possible.

(*“Knowledge is power”* — Francis Bacon)

Date: 22/08/2025

Place: Tezpur University, Assam

Upama Das.
(Upama Das)

LIST OF TABLES

Table No.	Caption	Page No.
CHAPTER I		
Table 1.1	<i>Prominent adulterants and contaminants, along with their sources, health effects, and permissible limits in food products, as suggested by FSSAI, FDA, and WHO</i>	5
CHAPTER III		
Table 3.1	<i>Quantitative estimation of melamine in milk by LSPR method</i>	117
Table 3.2	<i>Quantitative estimation of hydrogen peroxide in milk by LSPR method</i>	126
CHAPTER IV		
Table 4.1	<i>Quantitative estimation of urea in milk by electrochemical method</i>	147
Table 4.2	<i>Quantitative estimation of melamine in milk by electrochemical method</i>	159
Table 4.3	<i>Quantitative estimation of hydrogen peroxide in milk by electrochemical method</i>	169
CHAPTER V		
Table 5.1	<i>Comparative study of melamine sensing by colorimetric method</i>	182
Table 5.2	<i>Comparative study of hydrogen peroxide sensing by colorimetric method</i>	183
Table 5.3	<i>Comparative study of formalin sensing by colorimetric method</i>	184
Table 5.4	<i>Comparative study of salicylic acid sensing by colorimetric method</i>	185
Table 5.5	<i>Comparative study of contaminant sensing by colorimetric method</i>	187
Table 5.6	<i>Comparative study of melamine sensing by LSPR method</i>	189
Table 5.7	<i>Comparative study of hydrogen peroxide sensing by LSPR method</i>	189
Table 5.8	<i>Comparative study of urea sensing by electrochemical method</i>	191
Table 5.9	<i>Comparative study of melamine sensing by electrochemical method</i>	191
Table 5.10	<i>Comparative study of hydrogen peroxide sensing by electrochemical method</i>	191
Table 5.11	<i>Comparative analysis of the sensing performance of all the present reported sensing architectures</i>	194
CHAPTER VI		
Table 6.1	<i>Summary of the detector parameters of all the sensing architectures</i>	206

LIST OF FIGURES

Figure No.	Caption	Page No.
CHAPTER I		
Figure 1.1	<i>Schematic illustration representing surface plasmon resonance in NPs</i>	4
Figure 1.2	<i>Graphical illustration representing of distinct absorbance spectrum in plasmonic NPs at resonance</i>	4
Figure 1.3	<i>Schematic representation displaying (a) shift in absorbance peak position with increase in NPs size and (b) dependence of absorbance with the shape of NPs</i>	4
Figure 1.4	<i>Schematic representation depicting synthesis of NPs</i>	14
CHAPTER II		
Figure 2.A.1	<i>Characterisation of GT-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image (high magnification), (d) TEM image (low magnification), (e) size distribution analysis from TEM, (f) FESEM image, and (g) FTIR spectrum</i>	44
Figure 2.A.2	<i>Colorimetric change in GT-AgNPs at various concentration of melamine</i>	45
Figure 2.A.3	<i>Mechanism of melamine sensing by GT-AgNPs</i>	46
Figure 2.A.4	<i>(a) Colorimetric response of GT-AgNPs in the presence of various adulterants and (b) UV-Vis plots of GT-AgNPs corresponding to their colorimetric variations in presence of other adulterants</i>	48
Figure 2.A.5	<i>(a) UV-Vis plot of the synthesised GT-AgNPs in presence of melamine in milk at varied concentration and (b) linear calibrated graph between absorbance vs. concentration of melamine in milk</i>	48
Figure 2.A.6	<i>Characterisation of CT-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image (high magnification), (d) TEM image (low magnification), (e) size distribution analysis from TEM, (f) FESEM image, and (g) FTIR spectrum</i>	52
Figure 2.A.7	<i>Pictorial representation of colorimetric change in CT-AgNPs under various concentration of hydrogen peroxide</i>	53
Figure 2.A.8	<i>Mechanism of hydrogen peroxide sensing by CT-AgNPs</i>	54
Figure 2.A.9	<i>(a) Colorimetric response of CT-AgNPs in presence of various adulterants and (b) UV-Vis plots of CT-AgNPs corresponding to their colorimetric variations in presence of various adulterants</i>	54
Figure 2.A.10	<i>(a) UV-Vis plot of the synthesised CT-AgNPs in presence of hydrogen peroxide in milk at varied concentration and (b) linear calibrated graph</i>	55

	<i>between absorbance vs. concentration of hydrogen peroxide in milk</i>	
Figure 2.A.11	<i>Characterisation of l-cysteine-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image (high magnification), (d) TEM image (low magnification), (e) size distribution analysis from TEM, (f) FESEM image and (g) FTIR spectrum</i>	60
Figure 2.A.12	<i>Pictorial representation of colorimetric change in l-cysteine-AgNPs under various concentration of formalin</i>	61
Figure 2.A.13	<i>Mechanism of formalin sensing by l-cysteine-AgNPs</i>	61
Figure 2.A.14	<i>(a) Colorimetric response of l-cysteine-AgNPs in presence of various adulterants and (b) UV-Vis plots of l-cysteine-AgNPs corresponding to their colorimetric variations in presence of other adulterants</i>	61
Figure 2.A.15	<i>(a) UV-Vis plot of the synthesised l-cysteine-AgNPs in presence of formalin in milk at varied concentration and (b) linear calibrated graph between absorbance ratio vs. concentration of formalin in milk</i>	62
Figure 2.A.16	<i>Characterisation of WR-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image (high magnification), (d) TEM image (low magnification), (e) size distribution analysis from TEM, (f) FESEM image, and (g) FTIR spectrum</i>	65
Figure 2.A.17	<i>Pictorial representation of colorimetric change of WR-AgNPs under various concentration of salicylic acid</i>	66
Figure 2.A.18	<i>Mechanism for colorimetric sensing of salicylic acid by WR-AgNPs</i>	67
Figure 2.A.19	<i>(a) Colorimetric response of WR-AgNPs in presence of various adulterants and (b) UV-Vis plots of WR-AgNPs corresponding to their colorimetric variations in presence of other adulterants</i>	68
Figure 2.A.20	<i>(a) UV-Vis plot of the synthesised WR-AgNPs in presence of salicylic acid in milk at varied concentrations and (b) linear calibrated graph between absorbance ratio vs. concentration of salicylic acid in milk</i>	69
Figure 2.B.1	<i>Characterisation of MA-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image, and (d) size distribution analysis from TEM</i>	77
Figure 2.B.2	<i>Characterisation of GT reduced AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image, and (d) size distribution analysis from TEM</i>	77
Figure 2.B.3	<i>Characterisation of PVA-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image, and (d) size distribution analysis from TEM</i>	78

Figure 2.B.4	<i>Characterisation of CA-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image, and (d) size distribution analysis from TEM</i>	79
Figure 2.B.5	<i>Characterisation of SA-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image, and (d) size distribution analysis from TEM</i>	79
Figure 2.B.6	<i>Characterisation of l-glutamine-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image, and (d) size distribution analysis from TEM</i>	80
Figure 2.B.7	<i>The paper based microfluidic device</i>	81
Figure 2.B.8	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform of melamine in milk</i>	82
Figure 2.B.9	<i>Calibration curve for melamine adulterated milk</i>	84
Figure 2.B.10	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform of formalin in milk.</i>	84
Figure 2.B.11	<i>Calibration curve for formalin adulterated milk</i>	85
Figure 2.B.12	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform of hydrogen peroxide in milk</i>	86
Figure 2.B.13	<i>Calibration curve for hydrogen peroxide adulterated milk</i>	87
Figure 2.B.14	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform mercury in milk</i>	87
Figure 2.B.15	<i>Calibration curve for mercury adulterated milk</i>	89
Figure 2.B.16	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform arsenic in milk</i>	89
Figure 2.B.17	<i>Calibration curve for arsenic adulterated milk</i>	90
Figure 2.B.18	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform cadmium in milk</i>	91
Figure 2.B.19	<i>Calibration curve for cadmium adulterated milk</i>	92
Figure 2.B.20	<i>(a) Liquid based sensing, and (b) sensing in paper-based platform lead in milk</i>	92
Figure 2.B.21	<i>Calibration curve for lead adulterated milk</i>	93
Figure 2.B.22	<i>Upon addition of (a) unadulterated or uncontaminated milk, and (b) adulterated or contaminated milk.</i>	96
CHAPTER III		
Figure 3.1	<i>Characterisation of MA-AgNPs (a) FESEM image, (b) AFM image (2D representation), (c) AFM image (3D representation), and (d) size distribution profile across the LSPR chip</i>	114
Figure 3.2	<i>Schematic representation of fabrication of the MA-AgNPs LSPR chip</i>	114
Figure 3.3	<i>Pictorial representation of detection mechanism for sensing of melamine in milk</i>	115
Figure 3.4	<i>Histogram plot of selectivity test in the presence of various adulterants</i>	116
Figure 3.5	<i>(a) UV-Vis plots depicting peak shift with changing concentrations of melamine in milk, and (b)</i>	117

	<i>calibration plot between peak shift vs. concentration of melamine</i>	
Figure 3.6	<i>Characterisation of PVA-AgNPs (a) UV-Vis spectrum, (b) XRD pattern, (c) FESEM image, (d) TEM image (high magnification), (e) TEM image (low magnification), (f) size distribution analysis from TEM, (g) AFM image (2D representation), (h) AFM image (3D representation), and (i) size distribution profile across the LSPR chip</i>	121
Figure 3.7	<i>Schematic representation of fabrication of the PVA-AgNPs LSPR chip</i>	122
Figure 3.8	<i>Pictorial representation of detection mechanism for sensing of hydrogen peroxide in milk</i>	123
Figure 3.9	<i>Histogram plot of selectivity test in the presence of various adulterants</i>	124
Figure 3.10	<i>(a) UV-Vis plots depicting peak shift and decrease in absorbance with changing concentrations of hydrogen peroxide in milk; calibration plot between (b) absorbance vs. concentration of hydrogen peroxide, and (c) peak shift vs. concentration of hydrogen peroxide</i>	125
CHAPTER IV		
Figure 4.1	<i>Characterisation of APTES coated AuNPs, (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM image (high magnification), (d) TEM image (low magnification), (e) size distribution analysis from TEM, (f) FESEM image, and (g) cyclic voltametric analysis</i>	141
Figure 4.2	<i>Schematic illustration of fabrication of APTES/GT-AuNPs/APTES/ITO coated glass slides</i>	142
Figure 4.3	<i>Sensing performance of the APTES/AuNPs/APTES ITO electrode in absence and presence of urea (Reference Electrode: Ag/AgCl; Auxiliary Electrode: Pt; Electrolyte: 0.2 M PBS and 0.4 M KCl at pH 8.5; Scan rate: 0.1 V/sec)</i>	145
Figure 4.4	<i>CV Analysis of ITO electrode system fabricated with APTES/AuNPs/APTES coated ITO electrode in presence of different concentration of urea in milk supernatant (Reference Electrode: Ag/AgCl; Auxiliary Electrode: Pt; Electrolyte: 0.2 M PBS and 0.4 M KCl at pH 8.5; Scan rate: 0.1 V/sec)</i>	146
Figure 4.5	<i>Calibration graph plotted between maximum oxidation current vs. increase in concentration of urea in milk</i>	146
Figure 4.6	<i>CV response of the electrochemical sensor in the presence of urea (a) with different electrodes, (b) different cycles with the same electrode, and (c) with electrode stored at different times (Electrolyte: 0.2 M PBS; Scan rate: 100 mV/s)</i>	147

Figure 4.7	<i>Characterisation of PEG coated maleic acid functionalised AgNPs, (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM images (under high magnification), (d) TEM images (under low magnification), (e) size distribution analysis from TEM, (f) FESEM image, and (g) cyclic voltametric analysis</i>	152
Figure 4.8	<i>Schematic illustration of fabrication of PEG/MA-AgNPs/APTES/ITO coated glass slides</i>	153
Figure 4.9	<i>Sensing performance of the PEG/MA-AgNPs/APTES ITO coated glass slides in absence and presence of melamine (Reference Electrode: Ag/AgCl; Auxiliary Electrode: Pt; Electrolyte: 0.2 M PBS and 0.4 M KCl at pH 6.5; Scan rate of 0.1 V/sec)</i>	157
Figure 4.10	<i>CV Analysis of ITO electrode system fabricated with PEG/MA-AgNPs/APTES coated ITO glass slide in presence of different concentration of melamine in milk. (Reference Electrode: Ag/AgCl; Auxiliary Electrode: Pt; Electrolyte: 0.2 M PBS and 0.4 M KCl at pH 6.5; Scan rate of 0.1 V/sec)</i>	158
Figure 4.11	<i>Calibration graph between maximum oxidation current vs. the concentration of melamine in milk</i>	158
Figure 4.12	<i>CV response of the electrochemical sensor in the presence of melamine (a) with working electrode, (b) different cycles with the same electrode, and (c) with electrodes stored at different times (Electrolyte: 0.2 M PBS; Scan rate: 100 mV/s)</i>	159
Figure 4.13	<i>Characterisation of PVP coated AgNPs, (a) UV-Vis spectrum, (b) XRD pattern, (c) TEM images (high magnification), (d) TEM images (low magnification), (e) size distribution analysis from TEM, (f) FESEM image, and (g) cyclic voltametric analysis</i>	163
Figure 4.14	<i>Schematic illustration of fabrication of PVP/AgNPs/APTES/ITO coated glass slides</i>	164
Figure 4.15	<i>Sensing performance of the PVP/AgNPs/APTES ITO coated glass slides in absence and presence of hydrogen peroxide (Reference Electrode: Ag/AgCl; Auxiliary Electrode: Pt; Electrolyte: 0.2 M PBS and 0.4 M KCl at pH 5.2; Scan rate of 0.1 V/sec)</i>	168
Figure 4.16	<i>CV Analysis of ITO electrode system fabricated with PVP/AgNPs/APTES coated ITO glass slide in presence of different concentration of hydrogen peroxide in milk (Reference Electrode: Ag/AgCl; Auxiliary Electrode: Pt; Electrolyte: 0.2 M PBS and 0.4 M KCl at pH 5.2; Scan rate of 0.1 V/sec)</i>	168
Figure 4.17	<i>Calibration graph plotted between maximum reduction current (negative peak current) vs. the concentration of hydrogen peroxide in milk</i>	169
Figure 4.18	<i>CV response of the working electrodes in the presence of hydrogen peroxide (a) with different set of electrodes, (b) different cycles with the same</i>	170

	<i>electrode, and (c) with electrode stored at different times (Electrolyte: 0.2 M PBS; Scan rate: 100 mV/s).</i>	
--	---	--

LIST OF ABBREVIATIONS

Abbreviation	Meaning
NPs	Nanoparticles
0D	Zero dimensional
LSPR	Localised surface plasmon resonance
NSs	Nanostructures
NMs	Nanomaterials
HM	Heavy metal
Hg	Mercury
As	Arsenic
Cd	Cadmium
Pb	Lead
LOD	Limit of detection
AgNPs	Silver nanoparticles
UV-Vis	UV-Visible
PVA	Poly-vinyl alcohol
AuNPs	Gold nanoparticles
ITO	Indium tin oxide
CV	Cyclic voltammetry
PEG	Polyethylene glycol
PVP	Polyvinyl pyrrolidone
FDA	Food and Drug Administration
FSSAI	Food Safety and Standard Authority of India
WHO	World Health Organization
BHA	Beta hydroxy acid
GC	Gas chromatography
MS	Mass spectrometry
HPLC	High-performance liquid chromatography
SPR	Surface plasmon resonance
NRs	Nanorods
NWs	Nanowires
NCs	Nanocages
NSPs	Nanospheres
NPRs	Nano prisms
NPLs	Nanoplates
NSHs	Nanosheets
SERS	Surface-Enhanced Raman scattering
XRD	X-ray diffraction
FCC	Face centred cubic
NaBH ₄	Sodium borohydride
TSC	Trisodium citrate
AgNO ₃	Silver nitrate
Ag ⁺	Silver ion
SeNPs	Selenium nanoparticles
rGO	Reduced graphene oxide

RIU	Refractive index unit
GCE	Glassy carbon electrode
SPCE	Screen printed carbon electrode
SPE	Screen printed electrode
PLA	Polylactic Acid
Au-Pt NPs	Gold platinum nanoparticles
APTES	(3-Aminopropyl)-triethoxysilane
Cu ²⁺	Copper ions
AuNCs	Gold nanoclusters
EDA-GO	Ethylenediamine-graphene oxide
HAuCl ₄	Chloroauric acid
GT	Green tea
CT	Cotton tree
WR	Watermelon Rind
BRB	Banana root bulb
MA	Maleic acid
CA	Citric acid
TCA	Trichloroacetic acid
NaOH	Sodium hydroxide
SA	Salicylic acid
DW	Distilled water
DI	Deionized water
TEM	Transmission Electron Microscope
FESEM	Field Emission Scanning Electron Microscope
FTIR	Fourier Transform Infrared Spectroscopy
AFM	Atomic Force Microscopy
EGCG	(-)-epigallocatechin gallate
EC	(-)-epicatechin
ECG	(-)-epicatechin gallate
GC	(+)-gallocatechin
EGC	(-)-epigallocatechin
BSA	Bovine Serum Albumin
Ag ⁰	Silver atoms
DMAB	Dimethylaminobenzaldehyde
CuO/Co ₃ O ₄ @MWCNTs	Copper oxide/Cobalt oxide multi-walled carbon nanotubes
DPV	Differential pulse voltammetry
PBS	Phosphate buffered saline
KCl	Potassium chloride
PE	Paper electrode
AgNPsOA	Silver nanoparticles capped with octylamine
MTT	1-(2-mercaptoethyl) 1,3,5-triazine 2,4,6-trione
SFA	Sulphanilic acid

AA	Ascorbic acid
CHT	Chitosan
TPP	Tripolyphosphate
GA	Gallic acid
β -CDT	β -cyclodextrin
DP	Dopamine
JG	<i>Jatropha gossypifolia</i>
TA	Tannic acid
CA	Caffeic acid
PH	<i>Parthenium histerophorus</i>
CW	Cellulose nanowhiskers
SC	Sericin
SB	<i>Sargassum Boveanum</i>
BH	<i>Benincasa hispida</i>
TL	Tollen's reagent
4-ATP	4-aminothiophenol
RSC	Resorcinol
L-Cyst	L-Cysteine
GE	Garlic extract
CA	Cysteamine
PP	<i>Papain</i>
L-Glu	L-Gutamine
p-NA	p-Nitroaniline
NFs	nanoflowers
AI	Artificial Intelligence

LIST OF SYMBOLS

Symbol	Meaning
ppm	Parts per million
ppb	Parts per billion
RGB	Red Green Blue
HSV	Hue Saturation Value
NH ₂	Amine group
C=O	Carbonyl group
COOH	Carboxyl group
OH	Hydroxyl group
Hg ²⁺	Mercury (II)
As ³⁺	Arsenic (III)
As ⁵⁺	Arsenic (V)
Cd ²⁺	Cadmium (II)
Pb ²⁺	Lead (II)
σ	Standard deviation
μ	Micro
β	Beta
°	Theta
SH	Thiol group
h	hour
min	minute
sec	second
°C	degree Celsius
rpm	rotation per minute
mL	millilitre
mg	milligram
g	gram
M	Molarity
dL	decilitre
a.u.	Absorbance unit
nm	nanometre
mm	millimetre
cm	centimetre
mA	Milli ampere
V	Volt