

Table of Contents

Abstract	i-ii
Declaration	iii
Certificate	iv
Acknowledgement	v
Table of contents	vi-ix
List of Tables	x
List of Figures	xi-xii
List of Abbreviations	xiii
1. Chapter 1: Introduction	1-6
1.1. Preamble	1
1.2. Opportunity for ICPD based interventions in Turmeric processing	3
1.3. Objectives	4
1.4. Justification	4
1.5. Arrangement of thesis	5
1.6. Summary	5
2. Chapter 2: Review of Literature	7-19
2.1. Turmeric and Health Beneficial Effect	7
2.2. Turmeric Processing	8
2.3. Significance of curing in turmeric processing	10
2.4. Swell drying by integration of Instant Controlled Pressure Drop (ICPD)	11
2.5. Effects of ICPD Treatment on Product Quality	13
2.6. Scope of Integrating ICPD Technology in Turmeric Processing	13
2.7. Refractance window drying for developing quality product	14
2.8. Response Surface Methodology for Development of Quality Model	14
2.9. Enumeration of Drying Process Effectiveness by Diffusivity	17
2.10. Turmeric Based Products	18
2.11. Turmeric Infusion and Formulation for Curcumin Bioavailability	19
2.12. Summary	20

3. Materials and Methods	22-44
3.1 Material	22
3.2 Physical properties of Rhizomes	22
3.2.1. Size and shape	22
3.2.2. Moisture content	23
3.3. Preliminary Study	23
3.4 Overall methodology	24
3.5 Instrumentation setup	24
3.5.1 Characteristics of ICPD treatment unit	26
3.5.2 Conceptual requirements and setting up of ICPD unit for IDASC process	26
3.5.3 Components of the IDASC treatment unit	28
3.5.4 Decompression rate (PDR)	28
3.5.5 Standard processing condition for IDASC parameter for improve quality of turmeric powder	28
3.6 Experimental Design and Optimization	29
3.7 Product Characterization	30
3.7.1 Measurement of Moisture Content	30
3.7.2 Estimation of Rehydration ratio	31
3.7.3 Estimation of Shrinkage Ratio	31
3.7.4 Texture measurement	31
3.7.5 Colour	31
3.7.6 Scanning electron microscopy	32
3.7.7 X-ray diffraction studies	30
3.7.8 Evaluation of rheological parameters	32
3.8 Biochemical analysis of turmeric powder	32
3.8.1 Total Phenolic content	33
3.8.2 Total Flavonoid content	33
3.8.3 DPPH radical scavenging activity	34
3.8.4 Curcumin Content	34
3.8.5 HPLC analysis of individual curcuminoids in extract	34
3.8.6 Ferric reducing antioxidant potential (FRAP)	35
3.9 Drying studies of turmeric slices	35
3.9.1 Quality evaluation of turmeric rhizomes	35
3.9.2 Instant decompression assisted hot air drying	35
3.9.3 Swell drying or ICPD assisted hot air drying	37
3.9.4 Instant decompression assisted refractance window drying	37

3.9.5 Experimental procedure	39
3.10. Evaluation of a curcumin enriched infusion drink of turmeric powder obtained by RW drying	38
3.10.1 Evaluation of the Infusion drink	40
3.10.2 Fuzzy Logic Sensory Evaluation of drink	40
3.10.3 Selection of drink samples	41
3.10.4 Development of Fuzzy Logic Model	42
3.10.5 Radar chart for sensory evaluation	44
3.10.6 Storage study of infusion drink	45
3.10.7 Statistical methods	45
3.11 Summary	45
4. Result and Discussion	46-109
4.1. Preliminary study	48
4.2. Objective-I: To enumerate the effects of instant decompression assisted steam curing (IDASC) in inducing swell drying of turmeric slices	48
4.2.1 Hot air drying of moisture content.	48-51
4.2.2 Variation of Moisture Profile During HA Drying of ICPD treated slices	51-52
4.2.3 Drying kinetics model	52-54
4.2.4 Moisture diffusivity	54-55
4.2.5 Modelling of IDASC-HAD process parameters by using RSM	55-57
4.2.6 Curcumin content	57
4.2.7 Yellowness value	57
4.2.8 Particle size analysis	57
4.2.9 Optimizing by using hybrid RSM-PSO approach	58-60
4.2.10 Comparative study of turmeric powder produced by IDASC-HAD and HAD Method	60-63
4.2.11 Scanning electron micrograph (SEM)	63-64
4.2.12 Curcumin content of turmeric respect to time and pressure	64-66
4.3 Objective II: To standardize the processing condition of IDASC parameters for improved quality of turmeric powder	66
4.3.1 Variation of Moisture Profile During RW Drying of ICPD treated slices	67-70
4.3.2 Rehydration ratio	70-72
4.3.3 Shrinkage value	72-74
4.3.4 Texture	74-76
4.3.5 Total Tannin content	76-77
4.3.6 X-ray diffraction (XRD)	77-80

4.3.7. Antioxidant Activity properties and analyses by Design experiment	80-86
4.3.8 DPPH Activity of cured IDASC Powder	86-87
4.3.9 Total Phenolic content of IDASC cured powder	88
4.3.10 Total Flavonoid content of IDASC cured powder	89
4.3.11 Rheological properties of turmeric powder	90
4.3.12 HPLC Analysis of chemical profile	91
4.3.13 Scanning Electron microscopy (SEM)	92
4.4. Objective-III: To evaluate a curcumin rich infusion-mix based on turmeric powder obtained by incorporation of IDASC treatment	94
4.4.1. Color Properties	94
4.4.2. Antioxidant properties	96
4.4.3. ABTS Activity	98
4.4.4. Sensory Evaluation	100
4.4.5. Fuzzy logic model	101
4.4.6. Storage study of drink	105
4.4.7. Degradation of pH during storage	108
4.4.8 Infusion mix therapeutic potential	108
5. Chapter 5	110-115
5.1 Summary and conclusion	110
5.1.1. Research finding	111
5.1.2. Limitations	113
5.1.3. Scope of current work	114
5.1.4 Scope for future work	116
6. Bibliography	117-125