

# INDEX

Sl. No	Pg No.
1. INTRODUCTION	1
2. REVIEW OF LITERATURE	4
2.1 NUTRITIONAL COMPOSITION	
2.2 ANTINUTRIENTS	
3. MATERIALS AND METHODS	21-27
3.1 Materials	
3.2 Methods:	
3.2.1 Study of traditional process	
3.2.2 Standardization of laboratory processes	
3.2.3 Sample preparation	
3.2.4 pH determination	
3.2.5 Colour observation	
3.2.6 Water activity determination	
3.3 Chemical Analysis	
3.3.1 Moisture content determination	
3.3.2. Ash determination	
3.3.3. Crude fat determination	
3.3.4. Crude fiber determination	
3.3.5 Protein content determination	
3.3.6 Amino acid estimation	
3.4 Sensory Evaluation	
3.5 Microbiological analysis	
3.6 Storage study	
4. RESULTS AND DISCUSSION	28-40
4.1 The traditional process of making <i>kharali</i>	
4.2 Steps involved in processing of <i>kolathar</i>	
4.3 Standardization of the laboratory process for making <i>kharali</i>	
4.4 Sensory evaluation of <i>kharali</i>	
4.5 Colour observation in <i>kharali</i> :	
4.6 Physicochemical properties of <i>kharali</i>	
4.6.1 Measurement of pH and water activity of <i>kharali</i>	
4.6.2 Moisture content	
4.6.3 Ash content:-	
4.6.4 Fat content:	
4.6.5 Protein content:	
4.6.6. Amino acid content	

- 4.6.7 Crude fiber content
- 4.7 Microbiological analysis
- 4.8 Shelf life of the *kharali*

<b>5. SUMMARY AND CONCLUSION</b>	<b>41</b>
<b>6. FUTURE SCOPE OF WORK</b>	<b>44</b>
<b>7. BIBLIOGRAPHY</b>	<b>45</b>
<b>8. APPENDIX</b>	

## LIST OF TABLES

Table No	Title	Pg No.
Table 2.1	Production of major mustard-rape seed Producing countries during 2001 to 2003 (Production in thousand tones)	6
Table 2.2	State-wise production of rape seed-mustard during 2000 to 2003 (Production in thousand tones)	6
Table 3.1	Sample preparation	22
Table 4.1	Sensory evaluation of variously prepared <i>kharali</i> samples	32
Table 4.2	Colour score of the <i>kharali</i> samples	33
Table 4.3	Effect of storage on pH of <i>kharali</i> samples	33
Table 4.4	Effect of storage on the water activity ( $a_w$ ) of <i>kharali</i> samples	34
Table 4.5	Effect of storage on the moisture content of <i>kharali</i> samples	34
Table 4.6	Effect of storage on the ash content of <i>kharali</i> samples	35
Table 4.7	Effect of storage on the fat content of <i>kharali</i> samples	36
Table 4.8	Effect of storage on the protein content of <i>kharali</i> samples	36
Table 4.9	Effect on amino acid content of <i>kharali</i> samples	37
Table 5.0	Effect of storage on the crude fiber content of <i>kharali</i> samples	37
Table 5.1	Microbial load in <i>kharali</i> cultured in Nutrient Agar media	38
Table 5.2	<i>Kharali</i> samples at temperature $-10^{\circ}\text{C}$	39
Table 5.3	<i>Kharali</i> samples at temperature $4^{\circ}\text{C}$	39
Table 5.4	<i>Kharali</i> samples at temperature $25^{\circ}\text{C}$	40

## LIST OF FIGURES

Fig No	Figure Legend	Pg. No.
Fig.2.1.	Structure of Glucosinolates	11
Fig.2.2.	Generalised scheme of glucosinolate hydrolysis	12
Fig 2.3.	Structure of sinapine (Adopted from Hankel and Mosenthin 1989)	16
Fig.2.4	Structure of sinigrin and sinalbin	18
Fig.2.5	Structure of Phytic acid and its possible interaction with minerals, protein and starch (Adopted from Thompson 1986).	20
Fig.4.1	Flow chart for traditional <i>kharali</i> making process	29
Fig:4.2.	Flow chart for traditional <i>kolakhar</i> making process	30
Fig.4.3	Flowchart of standardization of <i>kharali</i> in the laboratory	31