

## TABLE OF CONTENTS

Chapter	Title	Page No
1	<b>INTRODUCTION</b>	1-2
2	<b>REVIEW OF LITERATURE</b>	2-16
	<b>2.1. Modification of Starch</b>	5-9
	<b>2.1.1. Physical Modification</b>	5-6
	<b>2.1.1.1. Pregelatinized starch</b>	5
	<b>2.1.1.2. Heat -treated starch</b>	6
	<b>2.1.2. Chemical Modification</b>	6
	<b>2.1.2.1. General considerations in chemical modification</b>	6
	<b>2.1.2.2. Crosslinking</b>	7
	<b>2.1.2.3. Conversion</b>	8-9
	<b>2.1.2.4. Substitution (stabilization)</b>	9
	<b>2.2. Effect of acetylation on the properties of starch</b>	9-10
	<b>2.2.1. Acetyl content (%) and degree of substitution (DS)</b>	10
	<b>2.2.2. Sediment Volume</b>	11
	<b>2.2.3. Morphological properties</b>	11
	<b>2.2.4. X-ray diffraction</b>	12
	<b>2.2.6. Pasting Properties</b>	13
	<b>2.2.7. Swelling Power and Solubility</b>	14
	<b>2.3. Foods incorporated with acetylated starch</b>	15
	<b>2.4. Pithas of Assam</b>	15-16
	<b>2.4.1. Til Pitha</b>	15

## TABLE OF CONTENTS

<b>3</b>	2.4.2. Ghila Pitha	15
	2.4.3. Narikol Pitha	15
	2.4.4. Hutuli Pitha	16
	2.4.5. Tekeli Pitha	16
	2.4.6. Bhaat Pitha	16
	2.4.7. Sunga Pitha	16
	2.5. Shelf life and Spoilage	16
	<b>MATERIALS AND METHODS</b>	<b>17-22</b>
	3.1. Extraction of Starch	17
	3.2. Estimation of Amylose Content	17
	3.3. Preparation of acetylated starch	18
	3.4. Coding of Sample	18
	3.5. Determination of acetyl group (AG)	19
	3.6. Degree of substitution (DS)	19
	3.7. Sediment volume	20
	3.8. Study of granule morphology	20
	3.9. X-ray diffraction	20
	3.10. Pasting properties	20
	3.11. Solubility	21
	3.12. Water absorption Index and water holding capacity	21
	3.13. Preparation of Ghila Pitha	21
	3.14. Texture Analysis	22
	3.15. Sensory Analysis	22
3.16. Yeast and Mold Count	22	

<b>4</b>	<b>RESULT AND DISCUSSIONS</b>	<b>23-41</b>
	<b>4.1. Amylose content</b>	<b>23</b>
	<b>4.2. Acetyl content (%) and degree of substitution (DS)</b>	<b>23-24</b>
	<b>4.3. Sediment volume</b>	<b>24-25</b>
	<b>4.4. Solubility</b>	<b>25-26</b>
	<b>4.5. Water Absorption Index (WAI )</b>	<b>27</b>
	<b>4.6. Water Holding Capacity</b>	<b>28</b>
	<b>4.7. Morphological Characteristics</b>	<b>29</b>
	<b>4.8. Pasting Properties</b>	<b>30-31</b>
	<b>4.9. X- Ray Diffraction</b>	<b>31-32</b>
	<b>4.10. Study of the Hydrophilic properties of Ghila Pitha</b>	<b>32-34</b>
	<b>4.10.1. Water Holding Capacity</b>	<b>32-33</b>
	<b>4.10.2. Water Absorption Index</b>	<b>34</b>
	<b>4.12. Storage Study</b>	<b>35-41</b>
	<b>4.12.1. Texture</b>	<b>35-37</b>
	<b>4.12.2. Yeast and Mold Count</b>	<b>38</b>
	<b>4.12.3. Sensory Analysis</b>	<b>38-40</b>
<b>5</b>	<b>SUMMARY AND CONCLUSION</b>	<b>42-43</b>
<b>6</b>	<b>BIBLIOGRAPHY</b>	<b>44-48</b>

## LIST OF TABLES

TABLE NO	TITLE	PAGE NO
3.1	Codes of native and acetylated starches	18
4.1	Acetyl content and Degree of Substitution (DS) of acetylated starches	24
4.2	Sediment volume of native and acetylated rice starches	25
4.3	Solubilities of native and acetylated starches at different temperatures	26
4.4	WAI of native and acetylated starches	27
4.5	WHC of native and acetylated starches	28
4.6	Pasting properties of native and acetylated starches	31
4.7	WHC of Ghila pitha incorporated with acetylated and untreated starch	33
4.8	WAI of Ghila piha incorporated with acetylated and untreated starch	34
4.9	Texture of test samples on 0, 6th and 12th day	36
4.10	Yeast and Mold Count in Treated and untreated samples	38
4.11	Sensory Analysis of 0 Day, 6th day, 12th day	39

## LIST OF FIGURES

FIGURE NO	TITLE	PAGE NO
2.1	Structure of amylose and amylopectin. Adapted from Tester and Karkalas (2002)	3
2.2	Classification of chains of amylopectin in type A, B and C. Adapted from Denardin and Silva (2009)	4
2.3	<i>Diagrammatic representation of the lamellar structure of a starch granule.</i> Adapted from Jenkins and Donald (1997)	4
4.1	Standard curve obtained from standard amylose solution of known concentration	23
4.2	Solubility of (a) native and acetylated waxy rice starch; (b) native and acetylated low amylose rice starch; and (c) native and acetylated Tapioca starch	26
4.3	Water Absorption Index of Native and acetylated starch from different sources	27
4.4	Water Holding Capacity of Native and acetylated starch from different sources	28
4.5	SEM Micrographs of (a) NW, (b) 4W, (c) 8W, (d) L4, (e) L8, (f) NT, (g) T4 and (h) T8	29
4.6	X Ray Diffractographs of (a) Native and acetylated Waxy rice starch; (b) native and acetylated low amylose rice starch ;(c) native and acetylated Tapioca rice starch	32
4.7	Water Holding Capacity of Ghila Pitha of control and test samples incorporated with acetylated starches from different souces and with different degree of acetylation	33
4.8	Water Absorption Index of Ghila Pitha of control and test samples incorporated with acetylated starches from different souces and with different degree of acetylation	34
4.9	Hardness, Gumminess and chewiness of test samples (a) on 0 day; (b) 6th day and; (c) 12th day	37
4.10	Sensory analysis graph of (a) 0 Day; (b) 6 <sup>th</sup> Day and (c) 12 <sup>th</sup> Day	40
4.11	Freshly fried Ghila pitha	41
4.12	Ghila Pitha during Storage Period	41