## **CONTENTS**

Sl. No	Particulars	Page No.	
1.	Introduction	1- 4	
2.	Review of literature	5- 12	
3.	Material and methods	13-20	
4.	Results and discussions	21- 42	
5.	Summary and conclusions	43 - 44	
6.	Bibliography	45- 52	

## LIST OF TABLES

Table	Title	Page no.
No.		
4.1.1	Chemical composition of native and chemically modified	21
	taro starches	
4.1.2	Moisture, amylose content and yield of chemically	22
	modified taro starches	
4.2.1	Solubility of native and chemically modified taro starches	24
4.2.2	Swelling power of native and chemically modified taro	25
	starches	
4.2.3	Paste clarity of native and chemically modified taro	27
	starches	
4.2.4	Freeze-Thaw stability of native and chemically modified taro starches	28
4.2.5	Pasting properties of native and chemically modified taro	31
1.2.0	starches	5.
4.2.6	Gel texture of native and chemically modified taro	33
4.2.0	starches	33
4.3.1	% Crystallinity and position of strong and weak peaks in	34
4.5.1	X-ray diffractogram of starch samples of native and	24
	modified taro	
4.3.2	Color of native and chemically modified taro starch	37
1.5.1	powder	37
4.3.3	Color of taro starch paste	38
4.5.1	Texture measurement of soup prepared by using native	41
	and chemically modified taro starches	
4.5.2	Color measurement of soup powder prepared by using	42
	native and chemically modified taro starches	

## LIST OF FIGURES

Fig No.	Title	Page no.
3.1	Taro tubers	13
3.2.1	Flowchart showing the extraction process of taro starch	14
4.2.1	Solubility of native and chemically modified taro starches	24
4.2.2	Swelling power of native and chemically modified taro starches	25
4.2.3	Paste clarity of native and chemically modified taro starches	27
4.2.4	Freeze-thaw stability of native and chemically modified taro starches	29
4.3.1	X-ray diffraction pattern of native (NT) and chemically modified (E1, E2, C1, & C2) taro starches	34
4.3.2	X-ray diffraction pattern of dual chemical modified (E1C1, E1C2, E2C1 & E2C2) taro starches	35
4.3.3	X-ray diffraction pattern of dual chemical modified (C1E1, C1E2, C2E1 & C2E2) taro starches	35
4.3.4	FT-IR spectral profile of native and chemically modified taro starches	36
4.4.1	Scanning electron micrographs (4,000X) of starch granules of native (NT) and modified (E1, E2, C1, C2, E1C1, E1C2, E2C1, E2C2, C1E1, C1E2, C2E1, C2E2) taro starches	39