

CONTENTS

	Page No.
Chapter 1	
General introduction	1-17
1.1. Introduction	1-2
1.1.1. Background	2
1.1.2. Synthesis of hyperbranched polymer	3-4
1.1.3. Properties of Hyperbranched polymer	4-5
1.1.4. Applications	5-7
1.2. Materials and methods	7-14
1.2.1. Materials	7-9
1.2.1.1. Flame retardant additives	7
1.2.1.2. Base polymer (polyethylene)	7-8
1.2.1.3. Nanofiller	8-9
1.2.2. Methods	9-10
1.2.2.1. Synthesis of Hyperbranched polyamine by A_2+B_3 approach	9-10
1.2.2.2. Compounding	10
1.2.2.3. Compression moulding	10
1.2.3. Characterization techniques and methods	11-14
1.2.3.1. Spectroscopic techniques	11
1.2.3.2. Degree of branching	11-12
1.2.3.3. Physical properties	12
1.2.3.3.1. Solubility	12
1.2.3.3.2. Viscosity	12
1.2.3.4. XRD	13
1.2.3.5. Thermal property	13

1.2.3.6. Mechanical Properties	13
1.2.3.6.1. Tensile strength	13
1.2.3.6.2. Hardness	13
1.2.3.7. Flame retardancy	14
1.2.3.8. SEM analysis	14
1.7. Literature review	15-16
1.8. Scope and objectives of the present investigation	17
1.9. Plane of work	17
Chapter 2	
Experimental	18-23
2.1. Introduction	18
2.2. Preparation of hyperbranched polyamine and nanocomposites	18-21
2.2.1. Materials	18-19
2.2.2. Methods	19-23
2.2.2.1. Synthesis of hyperbranched polyamine	19-20
2.2.2.2. Preparation of the nanocomposites	21
2.3. Characterization techniques and instrumentation	21-23
Chapter 3	
Results and Discussions	24-36
3.1. Introduction	24
3.2. Characterization of the hyperbranched polyamine	25-32
3.2.1. FTIR study	25-26
3.2.1. ¹ H NMR study	27-28
3.2.3. Degree of branching	28
3.2.4. Physical properties of the polymer	29

3.2.5. XRD study	30
3.2.6. TGA analysis of the hyperbranched polyamine	31
3.3. Performance of the composites	32-36
3.3.1. Flame retardancy	32
3.3.2. TGA analysis of the composites	33-34
3.3.3. Mechanical properties	35
3.3.4. Morphology	36
Chapter 4	
Conclusion and Future scope	37
4.1. Conclusion	37
4.2. Future scope	37
References	38-41