

CONTENTS

CHAPTERS	PAGE NO.
1. INTRODUCTION.....	1-5
2. REVIEW OF LITERATUR.....	6-31
History and area of origin	
Economic importance, nutritional value and impotence	
2.2 (a) Economic imporatane	
2.2 (b) Nutritional value	
2.2 (c) Nutritional composition	
2.2 (d) Uses	
2.2 (e) Other uses	
2.3 Botany and Physiology	
2.3 (a) Fruit structure	
2.4 Pests, Diseases and Non- pathogenic Disorders	
2.4 (a) Introduction	
2.4 (b) Pests	
2.3 (c) Diseases	
2.4 (d) Other pre-harvest diseases	
2.4 (e) Post-harvest Diseases	
2.4 (f) Non-pathogenic disorders	
2.5 From harvesting to consumption	
2.5 (a) Harvesting	
2.5 (b) Packaging	
2.5 (c) Biochemical changes during stirage	
2.5 (d) Storage	
3. MATERIALS AND METHODS.....	32-41
3.1 Materials	
3.2 Physical and Chemical Analysis	
3.2 (a) PLW	
3.2 (b) TSS	
3.2 (c) Acidity	

3.2 (d) Ascorbic acid	
3.2 (e) Total sugar	
3.2 (f) Total carotenoid content	
3.2 (g) Ash content	
3.2 (h) Crude fibre	
3.2 (i) Protein content	
4. FINDINGS AND DISCUSSIONS.....	41-60
4.1 PLW	
4.2 TSS	
4.3 Acidity	
4.4 Ascorbic acid	
4.5 Moisture content	
4.6 Carotenoid content	
4.7 Crude fibre	
4.8 Protein content	
4.9 Total sugar	
5. SUMMARY AND CONCLUSIONS.....	69-72
BIBLIOGRAPHY.....	73-75

LIST OF TABLES

Table No.	Table Title	Page No.
2.1	Nutritional composition	11-13
2.2	Colour chart for harvesting carambola in Malaysia	23
4.1 (a)	PLW – washed with water	43
4.1 (b)	PLW – after KMS treatment	44
4.2 (a)	TSS – washed with water	47
4.2 (b)	TSS – after KMS treatment	48
4.3 (a)	Acidity – washed with water	50
4.3 (b)	Acidity – after KMS treatment	52
4.4 (a)	Ascorbic acid – washed with water	54
4.4 (b)	Ascorbic acid – after KMS treatment	55
4.5 (a)	Moisture content – washed with water	57
4.5 (b)	Moisture content – after KMS treatment	59
4.6 (a)	Carotenoid content– washed with water	60
4.6 (b)	Carotenoid content - after KMS treatment	61
4.7 (a)	Crude fibre– washed with water	63
4.7 (b)	Crude fibre – after KMS treatment	64
4.8 (a)	Protein content – after washed with water	65
4.8 (b)	Protein content – after KMS treatment	66
4.9 (a)	Ash content – washed with water	67
4.9 (b)	Ash content – after KMS treatment	67
4.10 (a)	Total sugar – washed with water	68
4.10 (b)	Total sugar – after KMS treatment	68

LIST OF FIGURES

Figure No.	Figure Title	Page No.
3.1	Drying of carambola after washing with water	34
3.2	Packaging of carambola after drying	34
3.3	Drying after treatment with 1% KMS	35
3.4	Packaging after treatment with water	36
4.1 (a)	PLW – washed with water	44
4.1 (b)	PLW – after KMS treatment	46
4.2 (a)	TSS – washed with water	48
4.2 (b)	TSS – after KMS treatment	49
4.3 (a)	Acidity – washed with water	51
4.3 (b)	Acidity – after KMS treatment	53
4.4 (a)	Ascorbic acid – washed with water	55
4.4 (b)	Ascorbic acid – after KMS treatment	56
4.5 (a)	Moisture content – washed with water	58
4.5 (b)	Moisture content – after KMS treatment	59
4.6 (a)	Carotenoid content– washed with water	61
4.6 (b)	Carotenoid content - after KMS treatment	62
4.7 (a)	Crude fibre– washed with water	63
4.7 (b)	Crude fibre – after KMS treatment	64