

References

1. Kumar, V. *Characterization of Conducting Polymer Composites and Non-Conducting Polymers with Exposure of Neutrons, Gamma Rays & Charged Particles*, Ph.D. Thesis, Sant Longowal Institute of Engineering & Technology, Punjab, India, 2012.
2. Pohl, H.A. Theories of electronic behavior in macromolecular solids, *J. Polym. Sci. Part C: Polym. Symp.* **17**(1), 13-40, 1967.
3. Katon, J.E., & Wildi, B.S. Semiconducting organic polymers derived from nitriles. Thermoelectric power and thermal conductivity measurements, *J. Chem. Phys.* **40**(10), 2977- 2982, 1964.
4. Walatka Jr, V.V., Labes, M.M., & Perlstein, J.H. Polysulfur nitride—a one-dimensional chain with a metallic ground state, *Phys. Rev. Lett.* **31**(18), 1139-1142, 1973.
5. Baughman, R.H., Apgar, P.A., Chanc, R.R., MacDiarmid, A.G. & Garita, A.F. New phase of $(SN)_x$, *J. Chem. Soc. Chem. Commun.* **2**, 49-50, 1977.
6. Akhtar, M., Chiang, C.K., Heeger, A.J., & MacDiarmid, A.G. Novel route to metallic polythiazyl bromides: direct bromination of S_4N_4 , *J. Chem. Soc. Chem. Commun.* **23**, 846, 1977.
7. Shirakawa, H., Louis, E.J., MacDiarmid, A.G., Chiang, C.K., & Heeger, A.J. Synthesis of electrically conducting organic polymers: halogen derivatives of polyacetylene, $(CH)_x$, *J. Chem. Soc. Chem. Comm.* **16**, 578-580, 1977.
8. Chiang, C.K., Fincher Jr, C.R., Park, Y.W., Heeger, A.J., Shirakawa, H., Louis, E.J., Gau, S.C., & MacDiarmid, A.G. Electrical conductivity in doped polyacetylene, *Phys. Rev. Lett.* **39**(17), 1098-1101, 1977.
9. Mele, E.J., & Rice, M.J. Vibrational excitations of charged solitons in polyacetylene., *Phys. Rev. Lett.* **45**(11), 926-929, 1980.
10. Wernet, W., Monkenbusch, M., & Wegner, G. A new series of conducting polymers with layered structure: Polypyrrole n-alkylsulfates and n-alkylsulfonates, *Makromol. Chem. Rapid Commun.* **5**(3), 157- 164, 1984.
11. Cui, C.X., & Kertesz , M. Two helical conformations of polythiophene, polypyrrole, and their derivatives, *Phys. Rev. B* **40**(14), 9661–9670, 1989.

12. Groenendaal, L., Jonas, F., Freitag, D., Pielartzik, H., & Reynolds, J.R. Poly(3,4-ethylenedioxythiophene) and Its Derivatives: Past, Present, and Future, *Adv. Mater.* **12**(7), 481–494, 2000.
13. Lee, C., Lee, M.H., Kang, Y.K., Moon, B.S., & Rhee, S.B. The preparation of polypyrrole and polythiophene in the presence of ferrocene derivatives, *Synth. Met.* **55**(2–3), 1119–1122, 1993.
14. Kanazawa, K.K., Diaz, A.F., Krounbi, M.T., & Street, G.B. Electrical properties of pyrrole and its copolymers, *Synth. Met.* **4**(2), 119–130, 1981.
15. Tourillon, G., & Garnier, F. Effect of dopant on the physicochemical and electrical properties of organic conducting polymers, *J. Phys. Chem.* **87**(13), 2289–2292, 1983.
16. Heeger, A.J., & Pethig, R. Charge storage and charge transport in conducting polymers: solitons, polarons and bipolarons, *Phil. Trans. R. Soc. Lond. A* **314**(1528), 17–35, 1985.
17. Patil, A.O., Heeger, A.J., & Wudl, F. Optical properties of conducting polymers, *Chem. Rev.* **88**(1), 183–200, 1988.
18. Yoshino, K., Nakajima, S., Onoda, M., & Sugimoto, R. Electrical and optical properties of poly(3-alkylthiophene), *Synth. Met.* **28**(1), 349–357, 1989.
19. Daoust, G., & Leclerc, M. Structure-property relationships in alkoxy-substituted polythiophenes, *Macromol.* **24**(2), 455–459, 1991.
20. McCullough, R.D., Tristram-Nagle, S., Williams, S.P., Lowe, R.D., & Jayaraman, M. Self-orienting head-to-tail poly(3-alkylthiophenes): new insights on structure-property relationships in conducting polymers, *J. Am. Chem. Soc.* **115**(11), 4910–4911, 1993.
21. Leclerc, M., & Faid, K. Electrical and optical properties of Processable Polythiophene Derivatives: Structure-Property relationships, *Adv. Mater.* **9**(14), 1087–1094, 1997.
22. Gustafsson, G., Cao, Y., Treacy, G.M., Klavetter, F., Colaneri, N., & Heeger, A.J. Flexible light-emitting diodes made from soluble conducting polymers, *Nature* **357**(6378), 477 – 479, 1992.
23. Burroughes, J. H., Bradley, D. D. C., Brown, A. R., Marks, R. N., Mackay, K., Friend, R. H., Burns, P. L., & Holmes, A. B. Light-emitting diodes based on conjugated polymers, *Nature* **347**(6293), 539-541, 1990.

24. Kim, W. H., Mäkinen, A. J., Nikolov, N., Shashidhar, R., Kim, H., & Kafafi, Z. H. Molecular organic light-emitting diodes using highly conducting polymers as anodes, *Appl. Phys. Lett.* **80**(20), 3844-3846, 2002.
25. Paloheimo, J., Kuivalainen, P., Stubb, H., Vuorimaa, E., & Yli-Lahti, P. Molecular field-effect transistors using conducting polymer Langmuir–Blodgett films, *Appl. Phys. Lett.* **56**(12), 1157-1159, 1990.
26. Wanekaya, A.K., Bangar, M.A., Yun, M., Chen, W., Myung, N.V., & Mulchandani, A. Field-Effect Transistors Based on Single Nanowires of Conducting Polymers, *J. Phys. Chem. C* **111**(13), 5218-5221, 2007.
27. Liang, Y., Xu, Z., Xia, J., Tsai, S. T., Wu, Y., Li, G., Ray, C., & Yu, L. For the bright future—bulk heterojunction polymer solar cells with power conversion efficiency of 7.4%, *Adv. Mater.* **22**(20), E135-E138, 2010.
28. Eom, S. H., Senthilarasu, S., Uthirakumar, P., Yoon, S. C., Lim, J., Lee, C., Limc, H.S., Lee, J., & Lee, S. H. Polymer solar cells based on inkjet-printed PEDOT: PSS layer, *Organic Electronics* **10**(3), 536-542, 2009.
29. Palaniappan, S., Sydulu, S. B., & Srinivas, P. Synthesis of copolymer of aniline and pyrrole by inverted emulsion polymerization method for supercapacitor, *J. Appl. Polym. Sci.* **115**(3), 1695-1701, 2010.
30. Gottam, R., & Srinivasan, P. One-step oxidation of aniline by peroxotitanium acid to polyaniline–titanium dioxide: A highly stable electrode for a supercapacitor, *J. Appl. Polym. Sci.* **132**(13), 41711-41717, 2015.
31. Gaupp, C.L., Welsh, D.M., Rauh, R.D., & Reynolds, J.R. Composite coloration efficiency measurements of electrochromic polymers based on 3, 4-alkylenedioxythiophenes, *Chem. Mater.* **14**(9), 3964-3970, 2002.
32. Heuer, H.W., Wehrmann, R., & Kirchmeyer, S. Electrochromic Window Based on Conducting Poly(3,4-ethylenedioxythiophene)–Poly(styrene sulfonate), *Adv. Funct. Mater.* **12**(2), 89–94, 2002.
33. Sapp, S.A., Sotzing, G.A., & Reynolds, J.R. High Contrast Ratio and Fast-Switching Dual Polymer Electrochromic Devices, *Chem. Mater.* **10**(8), 2101–2108, 1998.
34. Ding, J., Zhou, D., Spinks, G., Wallace, G., Forsyth, S., Forsyth, M., & MacFarlane, D. Use of ionic liquids as electrolytes in electromechanical

- actuator systems based on inherently conducting polymers, *Chem. Mater.* **15**(12), 2392-2398, 2003.
- 35. Spinks, G.M., Xi, B., Zhou, D., Truong, V.T., & Wallace, G.G. Enhanced control and stability of polypyrrole electromechanical actuators, *Synth. Met.* **140**(2), 273–280, 2004.
 - 36. Smela, E. Conjugated polymer actuators for biomedical applications, *Adv. Mater.* **15**(6), 481–494, 2003.
 - 37. Jang, J., Chang, M., & Yoon, H. Chemical Sensors Based on Highly Conductive Poly (3, 4-ethylenedioxythiophene) Nanorods, *Adv. Mater.* **17**(13), 1616-1620, 2005.
 - 38. McQuade, D.T., Pullen, A.E., & Swager, T.M. Conjugated Polymer-Based Chemical Sensors, *Chem. Rev.* **100**(7), 2537-2574, 2000.
 - 39. Yoon, H., Chang, M., & Jang, J. Formation of 1D Poly(3,4-ethylenedioxythiophene) Nanomaterials in Reverse Microemulsions and Their Application to Chemical Sensors, *Adv. Funct. Mater.* **17**(3), 431-436, 2007.
 - 40. Ates, M. A review study of (bio) sensor systems based on conducting polymers, *Mater. Sci. Eng. C* **33**(4), 1853-1859, 2013.
 - 41. Brahim, S., Wilson, A. M., Narinesingh, D., Iwuoha, E., & Guiseppi-Elie, A. Chemical and biological sensors based on electrochemical detection using conducting electroactive polymers, *Microchim. Acta* **143**(2-3), 123-137, 2003.
 - 42. Gommans, H.H.P. *Charge transport and interface phenomena in semiconducting polymers*, Universiteitsdrukkerij, Eindhoven University of Technology, Eindhoven, 2005.
 - 43. Jakobsson, F.L.E. *Charge transport modulation in organic electronic diodes*, PhD Thesis, Linkoping University, Sweden 2008.
 - 44. MacDiarmid, A.G., & Epstein, A.J. Polyanilines: a novel class of conducting polymers, *Faraday Discuss. Chem. Soc.* **88**, 317-332, 1989.
 - 45. MacInnes, D., Druy, M.A., Nigrey, P.J., Nairns, D.P., MacDiarmid, A.G., & Heeger, A.J. Organic batteries: reversible n- and p- type electrochemical doping of polyacetylene, (CH)_x, *J. Chem. Soc. Chem. Commun.* **7**, 317-319, 1981.

46. Khalkhali, R.A. Electrochemical Synthesis and Characterization of Electroactive conducting Polypyrrole Polymers, *Russ. J. Electrochem.* **41**(9), 950–955, 2005.
47. MacDiarmid, A.G., Mammone, R.J., Kaner, R.B., Porter, S.J., Pethig, R., Heeger, A.J., & Rosseinsky, D.R. The concept of doping of conducting polymers: the role of reduction potentials [and Discussion], *Phil. Trans. R. Soc. Lond. A* **314**(1528), 3-15, 1985.
48. Gvozdenović, M.M., Jugović, B.Z., Stevanović, J.S., & Grgur, B.N. Electrochemical synthesis of electroconducting polymers, *Hem. ind.* **68**(6), 673–684, 2014.
49. Genoud, F., Guglielmi, M., Nechtschein, M., Genies, E., & Salmon, M. ESR study of electrochemical doping in the conducting polymer polypyrrole, *Phys. Rev. Lett.* **55**(1), 118–121, 1985.
50. Heeger, A.J. Semiconducting and metallic polymers: the fourth generation of polymeric materials (Nobel lecture), *Angew. Chem. Int. Ed.* **40**(14), 2591-2611, 2001.
51. MacDiarmid, A.G. “Synthetic metals”: A novel role for organic polymers (Nobel lecture), *Angew. Chem. Int. Ed.* **40**(14), 2581-2590, 2001.
52. Heeger, A.J. Charge transport in conducting polymers: Solitons, Polarons, and Bipolarons, *Polym. J.* **17**(1), 201-208, 1985.
53. Moliton, A., & Hiorns, R.C. Review of electronic and optical properties of semiconducting π -conjugated polymers: applications in optoelectronics, *Polymer Int.* **53**(10), 1397-1412, 2004.
54. Scott, J.C., Pfluger, P., Krounbi, M.T., & Street, G.B. Electron-spin-resonance studies of pyrrole polymers: Evidence for bipolarons, *Phys. Rev. B*, **28**(4), 2140–2145, 1983.
55. Bredas, J.L. Bipolarons in doped conjugated polymers: a critical comparison between theoretical results and experimental data, *Mol. Cryst. Liq. Cryst.*, **118**(1), 49-56, 1985.
56. Su, W.P., Schrieffer, J.R., & Heeger, A.J. Soliton excitations in polyacetylene, *Phys. Rev. B* **22**(4), 2099-2111, 1980.
57. Su, W.P., Schrieffer, J.R., Heeger, A.J. Solitons in polyacetylene, *Phys. Rev. Lett.* **42**(25), 1698-1701, 1979.

58. Brophy, J.J. *Basic electronics for scientists*, 3rd Ed., MacGraw-Hill, Kogokusha Ltd. Tokyo, 1977.
59. Coropceanu, V., Cornil, J., da Silva Filho, D.A., Olivier, Y., Silbey, R., & Brédas, J.L. Charge transport in organic semiconductors, *Chem. Rev.* **107**(4), 926-952, 2007.
60. Zuo, F., Angelopoulos, M., MacDiarmid, A.G., & Epstein, A.J. Transport studies of protonated emeraldine polymer: a granular polymeric metal system, *Phys. Rev. B* **36**(6), 3475-3478, 1987.
61. Pouget, J.P., Jozefowicz, M.E., Epstein, A.E.A., Tang, X., & MacDiarmid, A.G. X-ray structure of polyaniline, *Macromol.* **24**(3), 779-789, 1991.
62. Epstein, A.J., Joo, J., Kohlman, R.S., Du, G., MacDiarmid, A.G., Oh, E.J., Min, Y., Tsukamoto, J., Kaneko, H., & Pouget, J.P. Inhomogeneous disorder and the modified Drude metallic state of conducting polymers, *Synth. Met.* **65**(2), 149-157, 1994.
63. Mabboux, P.Y., Beau, B., Travers, J.P., Nicolau, Y.F. Non-exponential NMR relaxation in heterogeneously doped conducting polymers, *Synth. Met.* **84**(1), 985-986, 1997.
64. Prigodin, V.N., Epstein, A.J. Nature of insulator-metal transition and novel mechanism of charge transport in the metallic state of highly doped electronic polymers, *Synth. Met.* **125**(1), 43-53, 2002.
65. Athanasopoulos, S., Kirkpatrick, J., Martínez, D., Frost, J.M., Foden, C.M., Walker, A.B., & Nelson, J. Predictive Study of Charge Transport in Disordered Semiconducting Polymers, *Nano Lett.* **7**(6), 1785-1788, 2007.
66. Prigodin, V.N., & Efetov, K.B. Localization transition in a random network of metallic wires: A model for highly conducting polymers, *Phy. Rev. Lett.* **70**(19), 2932-2935, 1993.
67. Anderson, P.W. Absence of Diffusion in Certain Random Lattices, *Phy. Rev.* **109**(5), 1492-1505, 1958.
68. Pouget, J.P., Laridjani, M., Jozefowicz, M.E., Epstein, A.J., Scherr, E.M., & MacDiarmid, A.G. Structural aspects of the PANI family of electronic polymers, *Synth. Met.* **51**(1), 95-101, 1992.

69. Stafstrom, S., Bredas, J.L., Epstein, A.J., Woo, H.S., Tanner, D.B., Huang, W.S. & MacDiarmid, A.G. Polaron lattice in highly conducting PANI: Theoretical and optical studies, *Phys. Rev. Lett.* **59**(13), 1464-1467, 1987.
70. Brdas J.L., & Street, G.B. Polarons, Bipolarons, and Solitons in Conducting Polymers, *Acc. Chem. Res.* **18**(10), 309-315, 1985.
71. McCrum, N.G., Read, B.E., & Williams, G. *Anelastic and dielectric effects in polymeric solids*, Wiley, New York: Dover, 1967.
72. Avakian, P., Starkweather, Jr. H.W., & Kampert, W.G. *Dielectric analysis of polymers, Handbook of thermal analysis and calorimetry*, Elsevier, New York, 2002.
73. Koops, C.G. On the dispersion of resistivity and dielectric constant of some semiconductors at audiofrequencies, *Phys Rev.* **83**(1), 121-124, 1951.
74. Papathanassiou, A.N., Grammatikakis, J., Sakkopoulos, S., Vitoratos, E., & Dalas, E. Localized and long-distance charge hopping in fresh and thermally aged conductive copolymers of polypyrrole and polyaniline studied by combined TSDC and dc conductivity, *J. Phys. Chem. Solids*, **63**(9), 1771-1778, 2002.
75. Martin, C. R. Nanomaterials: A Membrane-Based Synthetic Approach, *Science* **266**(5193), 1961-1966, 1994.
76. Chiam, Y.S., Lim, K.S., Harun, S.W., Gan, S.N., & Phang, S.W. Conducting polymer coated optical microfiber sensor for alcohol detection, *Sens. Actuators, A* **205**, 58-62, 2014.
77. Tran, H.D., Li, D., & Kaner, R.B. One-Dimensional Conducting Polymer Nanostructures: Bulk Synthesis and Applications, *Adv. Mater.* **21**(14-15), 1487-1499, 2009.
78. Wan, M. A template-free method towards conducting polymer nanostructures, *Adv. Mater.* **20**(15), 2926-2932, 2008.
79. Long, Y.-Z., Li, M.-M., Gu, C., Wan, M., Duvail, J.-L., Liu, Z., & Fan, Z. Recent advances in synthesis, physical properties and applications of conducting polymer nanotubes and nanofibers, *Prog. Polym. Sci.* **36**(10), 1415-1442, 2011.
80. Toshima, N., Hara, S. Direct synthesis of conducting polymers from simple monomers, *Prog. Polym. Sci.* **20**(1), 155-183, 1995.

81. Huang, J., Virji, S., Weiller, B.H., & Kaner, R.B. Polyaniline nanofibers: facile synthesis and chemical sensors, *J. Am. Chem. Soc.* **125**(2), 314–315, 2003.
82. Huang, J., & Kaner, R.B. A general chemical route to polyaniline nanofibers, *J. Am. Chem. Soc.* **126**(3), 851–855, 2004.
83. Huang, J., & Kaner, R.B. Nanofiber formation in the chemical polymerization of aniline: a mechanistic study, *Angew. Chem. Int. Ed.* **116**(43), 5941-5945, 2004.
84. Martin, C.R. Template Synthesis of Electronically Conductive Polymer Nanostructures, *Acc. Chem. Res.* **28**(2), 61-68, 1995.
85. Hulteen, J.C. A general template-based method for the preparation of nanomaterials, *J. Mat. Chem.* **7**(7), 1075-1087, 1997.
86. Hong, B.H., Lee, J.T., Lee, C.W., Kim, J.C., Bae, S.C., Kim, K.S. Self-Assembled Arrays of Organic Nanotubes with Infinitely Long One-Dimensional H-Bond Chains, *J. Am. Chem. Soc.* **123**(43), 10748-10749, 2001.
87. Delvaux, M., Duchet, J., Stavaux, P.Y., Legras, R., Demoustier-Champagne, S. Chemical and electrochemical synthesis of polyaniline micro- and nanotubules, *Synth. Met.* **113**(3), 275-280, 2000.
88. Chen, J.H., Huang, Z.P., Wang, D.Z., Yang, S.X., Li, W.Z., Wen, J.G., & Ren, Z.F. Electrochemical synthesis of polypyrrole films over each of well-aligned carbon nanotubes, *Synth. Met.* **125**(3), 289-294, 2002.
89. Back, J W., Lee, S., Hwang, C R., Chi, C S., & Kim, J.Y. Fabrication of Conducting PEDOT Nanotubes Using Vapor Deposition Polymerization, *Macromol. Res.* **19**(1), 33-37, 2011.
90. Xia, L., Wei, Z., & Wan, M. Conducting polymer nanostructures and their application in biosensors, *J. Colloid Interface Sci.* **341**(1), 1-11, 2010.
91. Jackowska, K., Bieguński, A.T., & Tagowska, M. Hard template synthesis of conducting polymers: a route to achieve nanostructures, *J. Solid State Electrochem.* **12**(4), 437-443, 2008.
92. Wan, M. Some issues related to polyaniline micro-/nanostructures, *Macromol. Rapid. Commun.* **30**(12), 963–975, 2009.

93. Wan, M. Conducting polymers with micro or nanometer structure, Tsinghua University Press and Springer, Berlin, Heidelberg, 2008.
94. Boal, A.K., Ilhan, F., DeRouchey, J.E., Thurn-Albrecht, T., Russell, T.P., & Rotello, V.M. Self-assembly of nanoparticles into structured spherical and network aggregates, *Nature* **404**(6779), 746-748, 2000.
95. Spector, M.S., Price R.R., Schnur, J.M. Chiral Lipid Tubules, *Adv. Mater.* **11**(4), 337-344, 1999.
96. Jang, J. Conducting Polymer Nanomaterials and Their Applications, *Adv. Polym. Sci.* **199**, 189–260, 2006.
97. Zhang, L., & Wan, M. Self-assembly of polyaniline-From nanotubes to hollow microspheres, *Adv. Funct. Mater.* **13**(10), 815-820, 2003.
98. Qiu, H., Wan, M., Matthews, B., & Dai, L. Conducting polyaniline nanotubes by template free polymerization, *Macromol.* **34**(4), 675-677, 2001.
99. Zhu, Y., Hu, D., Wan, M. X., Jiang, L., & Wei, Y. Conducting and superhydrophobic rambutan-like hollow spheres of polyaniline, *Adv. Mater.* **19**, 2092-2096, 2007.
100. Wang, J.-G., Yang, Y., Huang, Z.-h., & Kang, F. MnO₂/polypyrrole nanotubular composites: reactive template synthesis, characterization and application as superior electrode materials for high-performance supercapacitors, *Electrochim. Acta* **130**, 642-649, 2014.
101. Lia, Y., Gong, J., He, G., & Deng, Y. Synthesis of polyaniline nanotubes using Mn₂O₃ nanofibers as oxidant and their ammonia sensing properties, *Synth. Met.* **161**(1-2), 56-61, 2011.
102. Dai, T., Yang, X., & Lu, Y. Controlled growth of polypyrrole nanotubule/wire in the presence of a cationic surfactant, *Nanotechnology* **17**(12), 3028-3034, 2006.
103. Das, A., Lei, C.H., Elliott, M., Macdonald, J.E., & Turner, M.L. Non-lithographic fabrication of PEDOT nano-wires between fixed Au electrodes, *Org. Electron.* **7**(4), 181–187, 2006.
104. Liu, R., Cho, S.I., & Lee, S.B. Poly(3,4-ethylenedioxythiophene) nanotubes as electrode materials for a high-powered supercapacitor, *Nanotechnology* **19**(21), 215710-215717, 2008.

105. Li, G.R., Feng, Z.P., Zhong, J.H., Wang, Z.L., & Tong, Y.X. Electrochemical Synthesis of Polyaniline Nanobelts with Predominant Electrochemical Performances, *Macromol.* **43**(5), 2178–2183, 2010.
106. Gerard, M., Chaubey, A., & Malhotra, B.D. Application of conducting polymers to biosensors, *Biosens. Bioelectron.* **17**(5), 345-359, 2002.
107. Tsai, T.H., Lin, K.C., & Chen, S.M. Electrochemical Synthesis of Poly(3,4-ethylenedioxothiophene) and Gold Nanocomposite and Its Application for Hypochlorite Sensor, *Int. J. Electrochem. Sci.* **6**, 2672 – 2687, 2011.
108. Timpanaro, S., Kemerink, M., Touwslager, F.J., De Kok, M.M., & Schrader, S. Morphology and conductivity of PEDOT/PSS films studied by scanning-tunneling microscopy, *Chem. Phys. Lett.* **394**(4), 339-343, 2004.
109. Schmitt, J., Gruenewald, T., Decher, G., Pershan, P.S., Kjaer, K., & Loesche, M. Internal structure of layer-by-layer adsorbed polyelectrolyte films: a neutron and X-ray reflectivity study, *Macromol.* **26**(25), 7058-7063, 1993.
110. De, A., Sen, P., Poddar, A., & Das, A. Synthesis, characterization, electrical transport and magnetic properties of PEDOT– DBSA–Fe₃O₄ conducting nanocomposite, *Synth. Met.* **159**(11), 1002–1007, 2009.
111. Singh, K., Ohlan, A., Saini, P., & Dhawan, S. K. Poly (3, 4-ethylenedioxothiophene) γ-Fe₂O₃ polymer composite–super paramagnetic behavior and variable range hopping 1D conduction mechanism–synthesis and characterization, *Polym. Adv. Techno.* **19**(3), 229-236, 2008.
112. Mumtaz, M. Synthesis of poly(3,4-ethylenedioxothiophene), polyaniline and their metal-composite nanoobjects by dispersion polymerization, PhD Thesis, France, University of Bordeaux, 2009.
113. Groenendaal, L., Zotti, G., Aubert, P.H., Waybright, S.M., & Reynolds, J.R. Electrochemistry of Poly(3, 4-alkylenedioxothiophene) Derivatives, *Adv. Mater.* **15**(11), 855-879, 2003.
114. Li, C., & Imae, T. Electrochemical and optical properties of the poly(3,4-ethylenedioxothiophene) film electropolymerized in an aqueous sodium dodecyl sulfate and lithium tetrafluoroborate medium, *Macromol.* **37**(7), 2411-2416, 2004.

115. Wang, Y. Research progress on a novel conductive polymer poly(3,4-ethylenedioxothiophene) (PEDOT), *J. Phys. : Conference Series* **152**(1), 012023-012032, 2009.
116. Im, S.G., & Gleason, K.K. Systematic Control of the Electrical Conductivity of Poly(3,4-ethylenedioxothiophene) via Oxidative Chemical Vapor Deposition, *Macromol.* **40**(18), 6552-6556, 2007.
117. Kirchmeyer, S., & Reuter, K. Scientific importance, properties and growing applications of poly(3,4-ethylenedioxothiophene), *J. Mater. Chem.* **15**(21), 2077-2088, 2005.
118. Roncali, J., Blanchard, P., & Frère, P. 3,4-Ethylenedioxothiophene (EDOT) as a versatile building block for advanced functional p-conjugated systems, *J. Mater. Chem.* **15**(16), 1589–1610, 2005.
119. Ryu, K.S., Lee, Y.G., Hong, Y.S., Park, Y.J., Wu, X., Kim, K.M., Kang, M. G., Park, N.G., & Chang, S.H., Poly(3,4-ethylenedioxothiophene) (PEDOT) as polymer electrode in redox supercapacitor, *Electrochimica Acta*, **50**(2), 843–847, 2004.
120. Laforgue, A., All-textile flexible supercapacitors using electrospun poly (3,4-ethylenedioxothiophene) nanofibers. *J. Power Sources*, **196**(1), 559-564, 2011.
121. Li, J., Hu, L., Wang, L., Zhou, Y., Grüner, G., & Marks, T.J. Organic light-emitting diodes having carbon nanotube anodes. *Nano. Lett.* **6**(11), 2472-2477, 2006.
122. Cho, S.I., Xiao, R., & Lee, S.B. Electrochemical synthesis of poly(3,4-ethylenedioxothiophene) nanotubes towards fast window-type electrochromic devices, *Nanotechnology* **18**(40), 405705-405709, 2007.
123. Yoon, H., Chang, M., & Jang, J. Formation of 1D poly (3,4-ethylenedioxothiophene) nanomaterials in reverse microemulsions and their application to chemical sensors, *Adv. Funct. Mater.* **17**(3), 431-436, 2007.
124. Kraft, A., Grimsdale, A.C., Holmes, A.B. Electroluminescent conjugated polymers-seeing polymers in a new light, *Angew. Chem. Int. Edit.* **37**(4), 402-428, 1998.

125. Halls, J.J.M., Walsh, C.A., Greenham, N.C., Marseglia, E.A., Friend, R.H., Moratti, S.C., Holmes, A.B. Efficient photodiodes from interpenetrating polymer networks, *Nature* **376** (6540), 498-500, 1995.
126. Cai, W., Gong, X., & Cao, Y. Polymer solar cells: recent development and possible routes for improvement in the performance *Solar Energy Mater. & Solar Cells* **94**(2), 114-127, 2010.
127. Bradley, D.D.C. Molecular electronics-aspects of the physics, *Chem. Brit.*, **27**(8), 719-723, 1991.
128. Burke, A. Ultracapacitors: why, how, and where is the technology, *J. Power Sources*, **91**(1), 37-50, 2000.
129. Sonmez, G., Meng, H., Zhang, Q., & Wudl, F. A Highly Stable, New Electrochromic Polymer:Poly(1,4-bis (2-(3', 4'-ethylenedioxy) thiienyl)-2-methoxy-5-2 "-ethylhexyloxybenzene), *Adv. Funct. Mater.* **13**(9), 726-731, 2003.
130. Yilmaz, K., Akgoz, A., Cabuk, M., Karaagac, H., Karabulut, O., & Yavuz, M. Electrical transport, optical and thermal properties of polyaniline–pumice Composites, *Mater. Chem. Phys.* **130**(3), 956– 961, 2011.
131. Rutledge, S.A., & Helmy, A.S. Carrier mobility enhancement in poly(3,4-ethylenedioxythiophene)- poly(styrenesulfonate) having undergone rapid thermal annealing, *J. Appl. Phys.* **114**(13), 133708-133712, 2013.
132. Pan, L., Qiu, H., Dou, C., Li, Y., Pu, L., Xu, J., & Shi, Y. Conducting Polymer Nanostructures: Template Synthesis and Applications in Energy Storage, *Int. J. Mol. Sci.* **11**(7), 2636-2657, 2010.
133. Zimbovskaya, N.A., Johnson Jr, A.T., & Pinto, N.J. Electronic transport mechanism in conducting polymer nanofibers, *Phys. Rev. B* **72**(2), 024213-024216, 2005.
134. Nguyen, T.P., Le Rendu, P., Long, P.D., & De Vos, S.A. Chemical and thermal treatment of PEDOT:PSS thin films for use in organic light emitting diodes, *Surf. Coat. Tech.* **180**, 646–649, 2004.
135. Gupta, K., Chakraborty, G., Jana, P.C., & Meikap, A.K. Temperature dependent dc and ac electrical transport properties of the composite of a polyaniline nanorod with copper chloride, *Solid State Commun.* **151**(7), 573–578, 2011.

136. Jang, J. Conducting Polymer Nanomaterials and Their Applications, *Adv. Polym. Sci.* **199**, 189–259, 2006.
137. Yoon, C.O., Reghu, M., Moses, D., Heeger, A.J., & Cao, Y. Copunterion-induced processibility of polyaniline: Thermoelectric power, *Phys. Rev. B* **48**(19), 14080-14084, 1993.
138. Blakesley, J.C., & Neher, D. Relationship between energetic disorder and open-circuit voltage in bulk heterojunction organic solar cells, *Phys. Rev. B* **84**(7), 075210-075221, 2011.
139. Schein, L.B., & Tyutnev, A. The contribution of energetic disorder to charge transport in molecularly doped polymers, *J. Phys. Chem. C* **112**(19), 7295-7308, 2008.
140. Gangopadhyay, R., De, A., & Das, S. Transport properties of polypyrrole–ferric oxide conducting nanocomposites, *J. Appl. Phys.* **87**(5), 2363- 2371, 2000.
141. Sze, S.M., & Ng, K.K. *Physics of Semiconductor Devices*, 3rd ed., Wiley-Interscience, 2008.
142. Vukmirovic, N. & Wang, L.-W. Electronic Structure of Disordered Conjugated Polymers: Polythiophenes, *J. Phys. Chem. B* **113**(2), 409–415, 2009.
143. Bhadra, S., Khastgir, D., Singha, N.K., & Lee, J.H. Progress in preparation, processing and applications of polyaniline, *Prog. Polym. Sci.* **34**(8), 783-810, 2009.
144. Mazerolles, L., Folch, S., & Colombar, P. Study of polyanilines by high-resolution electron microscopy *Macromol.* **32**(25), 8504-8508, 1999.
145. Blakesley, J.C., & Neher, D. Relationship between energetic disorder and open-circuit voltage in bulk heterojunction organic solar cells, *Phys. Rev. B* **84**(7), 75210-75221, 2011.
146. Sirringhaus, H., Brown, P.J., Friend, R.H., Nielsen, M.M., Bechgaard, K., Langeveld-Voss B. M.W., Spiering, A.J.H., Janssen, R.A.J., Meijer, E.W., Herwig, P., & Leeuw, D.M.D. Two-dimensional charge transport in self-organized, high-mobility conjugated polymers, *Nature* **401**(6754), 685-688, 1999.
147. Nandi, U., Jana, D., & Talukdar, D. Scaling description of non-ohmic direct current conduction in disordered systems, *Prog. Mater. Sci.* **71**, 1–92, 2015.

148. Singh, K., Ohlan, A., Kotnala, R. K., Bakhshi, A. K., & Dhawan, S. K. Dielectric and magnetic properties of conducting ferromagnetic composite of polyaniline with γ -Fe₂O₃ nanoparticles, *Mater. Chem. Phys.* **112**(2), 651-658, 2008.
149. Rosenbaum, R. Crossover from Mott to Efros-Shklovskii variable-range-hopping conductivity in In_xO_y films, *Phys. Rev. B* **44**(8), 3599-3603, 1991.
150. Long, Y., Zhang, L., Chen, Z., Huang, K., Yang, Y., Xiao, H., Wan, M., Jin, A., & Gu, C. Electronic transport in single polyaniline and polypyrrole microtubes, *Phys. Rev. B* **71**(16), 165412-165418, 2005.
151. Khondaker, S.I., Shlimak, I.S., Nicholls, J.T., Pepper, M., & Ritchie, D.A. Crossover phenomenon for two-dimensional hopping conductivity and density-of-states near the Fermi level, *Solid State Commun.* **109**(12), 751-756, 1999.
152. Yoon C.O., Reghu, M., Moses, D., Heeger, A.J., Cao, Y., Chen, T.A., Wu, X., & Rieke, R. D. Hopping transport in doped conducting polymers in the insulating regime near the metal-insulator boundary: Polypyrrole, polyaniline and polyalkylthiophenes, *Synth. Met.* **75**(3), 229-239, 1995.
153. Ghosh M., Barman A., De S.K., & Chatterjee S. Crossover from Mott to Efros-Shklovskii variable-range-hopping conductivity in conducting polyaniline, *Synth. Met.* **97**(1), 23-29, 1998.
154. Knotek, M.L. & Pollak, M. Correlation effects in hopping conduction: Hopping as a multi-electron transition, *J. Non-Cryst. Solids* **8-10**, 505-510, 1972.
155. Efros, A.L., & Shklovskii, B.I. Coulomb gap and low temperature conductivity of disordered systems, *J. Phys. C* **8**(4), L49-L51, 1975.
156. Sheng, P., Abeles, B., & Arie, Y. Hopping Conductivity in Granular Metals, *Phys. Rev. Lett.* **31**(1), 44-47, 1973.
157. Sheng P. Fluctuation-induced tunneling conduction in disordered materials, *Phy. Rev. B* **21**(6), 2180-2195, 1980.
158. Kymakis, E., & Amaratunga, G.A. Electrical properties of single-wall carbon nanotube-polymer composite films, *J. Appl. Phys.* **99**(8), 084302-084308, 2006.
159. Park, Y.W., Heeger, A.J., Druy, M.A., & MacDiarmid, A.G. Electrical transport in doped polyacetylene, *J. Chem. Phys.* **73**(2), 946-957, 1980.

160. Epstein, A.J., Joo, J., Kohlman, R.S., Du, G., MacDiarmid, A.G., Oh, E.J., Min, Y., Tsukamoto, J., Kaneko, H., & Pouget, J.P. Inhomogeneous disorder and the modified Drude metallic state of conducting polymers, *Synth. Met.* **65**(2), 149-157, 1994.
161. Sixou, B., Mermilliod, N., & Travers, J.P. Aging effects on the transport properties in conducting polymer polypyrrole, *Phys. Rev. B* **53**(8), 4509-4521, 1996.
162. Stevens, M.P. *Polymer Chemistry: An Introduction*, 2nd Edition, Oxford Univ. Press, Oxford, 1990.
163. Kaiser, A.B. Thermoelectric power and conductivity of heterogeneous conducting polymers, *Phys. Rev. B* **40**(5), 2806–2813, 1989.
164. Kaiser, A.B., Liu, C.-J, Gilberd, P.W., Chapman, B., Kemp, N.T., Wessling, B., Partridge, A.C., Smith, W.T., & Shapiro, J.S. Comparison of electronic transport in polyaniline blends, polyaniline and polypyrrole, *Synth. Met.* **84**(1), 699–702, 1997.
165. Zabrodskii, A.G., & Zeninova, K.N. Conductivity in the metal-dielectric transition range and its application in wide-range low-temperature converters, *Fiz. Nizk. Temp.* **10**(11), 1151-1159, 1984.
166. Pike, G.E. AC conductivity of scandium oxide and a new hopping model for conductivity, *Phys. Rev. B* **6**(4), 1572-1580, 1972.
167. Long, A.R. Frequency-dependent loss in amorphous semiconductors, *Adv. Phys.* **31**(5), 553–637, 1982.
168. Purnima M., Bale, S., Samee, M.A., Ahmmad, S.K., & Rahman, S. AC conductivity and its scaling behavior in MgO–Li₂O–B₂O₃–Bi₂O₃ glasses, *J. Phys. Chem. Solids* **74**(2), 189–195, 2013.
169. Farid, A.M., & Bekheet, A.E. AC conductivity and dielectric properties of Sb₂S₃ films, *Vacuum* **59**(4), 932-939, 2000.
170. Dutta, P., Biswas, S., Ghosh, M., De, S.K., & Chatterjee, S. The dc and ac conductivity of polyaniline–polyvinyl alcohol blends, *Synth. Met.* **122**(2), 455–461, 2001.
171. Jonscher, A.K. *Dielectric Relaxation in Solids*, Chelsea Dielectric Press, London, 1983.
172. Barton, J.L. Dielectric relaxation of some ternary alkali-alkaline earth-silicate glasses, *Verres Refract.* **20**(5), 328-335, 1966.

173. Nakajima, T. *Annual Report, Conference on Electric Insulation and Dielectric phenomena, National Academy of Sciences*, Washington DC, 1972.
174. Namikawa, H. Characterization of the diffusion process in oxide glasses based on the correlation between electric conduction and dielectric relaxation, *J. Non-Cryst. Solids* **18**(2), 173–195, 1975.
175. Sidebottom, D.L. Universal approach for scaling the ac conductivity in ionic glasses, *Phys. Rev. Lett.* **82**(18), 3653-3656, 1999.
176. Summerfield, S. Universal low-frequency behaviour in the ac hopping conductivity of disordered systems, *Phil. Mag. B* **52**(1), 9-22, 1985.
177. Porto, M., Maass, P., Meyer, M., Bunde, A. & Dieterich, W. Hopping transport in the presence of site-energy disorder: Temperature and concentration scaling of conductivity spectra, *Phys. Rev. B* **61**(9), 6057-6062, 2000.
178. Planes, J., Wolter, A., Cheguettine, Y., Pron, A., Genoud, F., & Nechtschein, M. Transport properties of polyaniline-cellulose-acetate blends, *Phys. Rev. B* **58**(12), 7774-7785, 1998.
179. Dutta, P., & De, S.K. Electrical properties of polypyrrole doped with β -naphthalene sulfonic acid and polypyrrole-polymethyl methacrylate blends, *Synth. Met.* **139**(2), 201–206, 2003.
180. Gu, H., Zhang, X., Wei, H., Huang, Y., Wei, S., & Guo, Z. An overview of the magnetoresistance phenomenon in molecular systems, *Chem. Soc. Rev.* **42**(13), 5907–5943, 2013.
181. Su, T.I., Wang, C.R., Lin, S.T., & Rosenbaum, R. Magnetoresistance of Al₇₀Pd_{22.5}Re_{7.5} quasicrystals in the variable-range hopping regime, *Phys. Rev. B* **66**(5), 054438-054443, 2002.
182. Schoepe W. Variable-range hopping conduction in doped germanium at very low temperatures and high magnetic fields, *Zeits. für Phys. B* **71**(4), 455-463, 1988.
183. Rosenbaum, R., Murphy, T., Palm, E., Hannahs, S., & Brandt, B. Magnetoresistance of insulating amorphous Ni_xSi_{1-x} films exhibiting Mott variable-range hopping Laws, *Phys. Rev. B* **63**(9), 094426-094432, 2001.
184. Guo, J., Gu, H., Wei, H., Zhang, Q., Haldolaarachchige, N., Li, Y., Young, D.P., Wei, S., & Guo, Z. Magnetite-Polypyrrole Metacomposites: Dielectric

- Properties and Magnetoresistance Behavior, *J. Phys. Chem. C* **117**(19), 10191–10202, 2013.
185. Nguyen, V.I., Spivak, B.Z., Shklovskii, B.I. Tunnel hopping in disordered systems, *JETP Lett.* **62**(5), 1021-1029, 1985.
186. Gu, H., Guo, J., He, Q., Jiang, Y., Huang, Y., Haldolaarachige, N., Luo, Z., Young, D.P., Wei, S., & Guo, Z. Magnetoresistive polyaniline/multi-walled carbon nanotube nanocomposites with negative permittivity, *Nanoscale* **6**(1), 181–189, 2014.
187. Jonscher, A.K. Dielectric relaxation in solids, *J. Phys. D: Appl. Phys.* **32**(14), R57-R70, 1999.
188. Schonhals, A., & Schlosser, E. Dielectric relaxation in polymeric solids Part 1. A new model for the interpretation of the shape of the dielectric function, *Colloid Polym. Sci.* **267**(2), 125-132, 1989.
189. Forhlich, H. *Theory of Dielectrics*, Clarendon Press, Oxford, 1958.
190. Bottcher, C.J.F., Van Belle, O.C., Bordewijk, P., Rip, A., & Yue, D.D. Theory of electric polarization. *J. Electrochem. Soc.*, **121**(6), 211C-211C, 1974.
191. Havriliak, S., & Negami, S. A complex plane representation of dielectric and mechanical relaxation processes in some polymers., *Polymer* **8**, 161-210, 1967.
192. Macdonald, J.R. *Impedance Spectroscopy*, John Wiley & Sons, New York, 1987.
193. Cole, K.S., & Cole, R.H. Dispersion and absorption in dielectrics I. Alternating current characteristics., *J. Chem. Phys.* **9**(4), 341-351, 1941.
194. Macedo, P.B., Moynihan, C.T., & Bose, R. Role of ionic diffusion in polarization in vitreous ionic conductors, *Phys. Chem. Glasses* **13**(6), 171-179, 1972.
195. Louati, B., Guidara, K., & Gargouri, M. Dielectric and ac ionic conductivity investigations in the monetite, *J. Alloys Compd.* **472**(1), 347-351, 2009.
196. Bergman, R. General susceptibility functions for relaxations in disordered systems, *J. Appl. Phys.*, **88**(3), 1356-1365, 2000.

197. Sun, J.T., Huang, Y.D., Gong, G.F., & Cao, H.L. Thermal degradation kinetics of poly(methylphenylsiloxane) containing methacryloyl groups, *Polym. Degrad. Stab.* **91**(2), 339–346, 2006.
198. Kissinger, H.E. Reaction kinetics in differential thermal analysis, *Anal. Chem.* **29**(11), 1702–1706, 1957.
199. Akahira, T., & Sunose, T. Method of determining activation deterioration constant of electrical insulating materials, *Res. Rep. Chiba. Inst. Technol.* **16**, 22–31, 1971.
200. Friedman, H. Kinetics of thermal degradation of char-forming plastics from thermogravimetry. Application to a phenolic plastic, *J. Polym. Sci. Part C* **6**(1), 183–195, 1964.
201. Flynn, J.H., & Wall, L.A. A quick, direct method for the determination of activation energy from thermogravimetric data, *Polym. Lett.* **4**(5), 323–328, 1966.
202. Ozawa, T. A new method of analyzing thermogravimetric data, *Bull. Chem. Soc. Jpn.* **38**(11), 1881–1886, 1965.
203. Chrissafis, K., Paraskevopoulos, K.M., & Bikaris, D.N. Thermal degradation kinetics of the biodegradable aliphatic polyester, poly(propylene succinate), *Polym. Degrad. Stab.* **91**(1), 60–68, 2006.
204. Doyle C.D. Kinetic analysis of thermogravimetric data, *J. Appl. Polym. Sci.* **5**(15), 285–292, 1961.
205. Muller, K., Klapper, M., & Mullen, K. Synthesis of Conjugated Polymer Nanoparticles in Non-Aqueous Emulsions, *Macromol. Rapid Commun.* **27**, 586–593, 2006.
206. Mumtaz, M., Cuendias, A.D., Putaux, J.L., Cloutet, E., & Cramail H. Synthesis of PEDOT Nanoparticles and Vesicles by Dispersion Polymerization in Alcoholic Media, *Macromol. Rapid Commun.* **27**, 1446–1453, 2006.
207. Choi, J.W., Han, M.G., Kim, S.Y., Oh, S.G., & Im S.S. Poly(3,4-ethylenedioxythiophene) nanoparticles prepared in aqueous DBSA solutions, *Synth. Met.* **141**, 293–299, 2004.
208. Zhang, X., MacDiarmid, A.G., & Manohar, S.K. Chemical synthesis of PEDOT nanofibers, *Chem. Commun.* **42**, 5328–5330, 2005.

209. Duvaila, J.L., Retho, P., Garreau, S., Louarn, G., Godon, C., & Champagne, S.D. Transport and vibrational properties of poly(3,4-ethylenedioxothiophene) nanofibers, *Synth. Met.* **131**, 123–128, 2002.
210. Laforgue, A., & Robitaille, L. Production of Conductive PEDOT Nanofibers by the Combination of Electrospinning and Vapor-Phase Polymerization, *Macromol.* **43**, 4194–4200, 2010.
211. Han, M.G., and Foulger, S.H. Facile Synthesis of Poly(3,4-ethylenedioxothiophene) Nanofibers from an Aqueous Surfactant Solution, *Small* **2**(10), 1164 – 1169, 2006.
212. Zhang, X., Lee, J.S., Lee, G.S., Cha, D.K., Kim, M.J., Yang, D.J., & Manohar, S.K. Chemical Synthesis of PEDOT Nanotubes, *Macromol.* **39**, 470-472, 2006.
213. Cho, S.I., Xiao, R., & Lee, S.B. Electrochemical synthesis of poly(3,4-ethylenedioxothiophene) nanotubes towards fast window-type electrochromic devices, *Nanotechnology* **18**, 405705-405709, 2007.
214. Cho, S.I., Choi, D.H., Kim, S.H., & Lee, S.B. Electrochemical Synthesis and Fast Electrochromics of Poly(3,4-ethylenedioxothiophene) Nanotubes in Flexible Substrate, *Chem. Mater.* **17**, 4564-4566, 2005.
215. Dobbelin, M., Zaera, R.T., Carrasco, P.M., Sarasua J.R., Cabanero, G., & Mecerreyes, D. Electrochemical Synthesis of Poly(3,4-ethylenedioxothiophene) Nanotube Arrays Using ZnO Templates, *J. Polym. Sci.: Part A: Polym. Chem.* **48**, 4648–4653, 2010.
216. Wang, Y., Cai, K., & Yao, X. Facile Fabrication and Thermoelectric Properties of PbTe-Modified Poly(3,4-ethylenedioxothiophene) Nanotubes, *Appl. Mater. Interfaces* **3**, 1163–1166, 2011.
217. Hussain A.M.P. *Swift heavy ion irradiation effects on electrodeposited conducting polymer based electrodes for redox supercapacitor*, Ph.D. Thesis, Tezpur University, Assam, India, 2006.
218. Scherrer, P. *Nachr. Ges. Wiss. Gottingen* **1918**, 2, 98.
219. Nicholls, R. *Composite Construction Materials Handbook*, Prentice-Hall, Inc., Englewood Cliffs, NJ, 1976, pp. 528
220. Louarn, G., Trznadel, M., Buisson, J.P., Laska, J., Pron, A., Lapkowski, M., & Lefrant, S. Raman Spectroscopic Studies of Regioregular Poly(3-alkylthiophenes). *J. Phys. Chem.*, **100**(30), 12532-12539, 1996.

221. Boyer, M.I., Quillard, S., Rebourt, E., Louarn, G., Buisson, J.P., Monkman, A., & Lefrant, S. Vibrational Analysis of Polyaniline: A Model Compound Approach. *J. Phys. Chem. B* **102** (38), 7382-7392, 1998.
222. Han, G.Y., Shi, G.Q., Qu, L.T., Yuan, J.Y., Chen, F.E., Wu, P.Y. Electrochemical polymerization of chiral pyrrole derivatives in electrolytes containing chiral camphor sulfonic acid. *Polym. Internat.* **53**(10), 1554-1560, 2004.
223. Capaccioli, S., Lucchesi, M., Rolla, P.A., & Ruggeri, G. Dielectric response analysis of a conducting polymer dominated by the hopping charge transport, *J. Phys.: Condens. Matter*, **10**(25), 5595-5617, 1998.
224. Papathanassiou, A.N., Grammatikakis, J., Sakellis, I., Sakkopoulos, S., Vitoratos, E., & Dalas, E. Hopping charge transport mechanisms in conducting polypyrrole: Studying the thermal degradation of the dielectric relaxation, *Appl. Phys. Lett.*, **87**(15), 154107-154110, 2005.
225. Debye, P.J.W. *Polar Molecules*. Dover Publications: New York, 1960.
226. Tsangaris, G.M., Psarras, G.C., & Kouloumbi, N. Electric modulus and interfacial polarization in composite polymeric systems, *J. Mater. Sci.*, **33**(8), 2027-2037, 1998.
227. Macdonal, J.R. *Impedance Spectroscopy*, John Wiley & Sons, New York, 1987.
228. Ghanem, H.M.E., Attar, H., Abduljawad, S., & Ahmad, H.S. Dielectric Spectroscopy of conducting Polyaniline polymer, *Int. J. Polym. Mater.* **55**, 663-679, 2006.
229. McCrum, N.G., Read, B.E., and William, G. *Anelastic and Dielectric Effects in Polymeric Solids*, Wiley, London, 1967.
230. Harun, M.H., Saion, E., Kassim, A., Hussain, M.Y., Mustafa, I.S., & Omer, M.A.A. Temperature Dependence of AC Electrical Conductivity of PVA-PPy-FeCl₃ Composite Polymer Films, *Malays. Polym. J.* **3**(2), 24-31, 2008.
231. Dyre, J.C., & Schröder, T.B. Universality of ac conduction in disordered solids, *Rev. Mod. Phys.* **72**(3), 873- 892, (2000).
232. Tran, H.D., Li, D., & Kaner, R.B. One-dimensional conducting polymer nanostructures: bulk synthesis and applications, *Adv. Mater.* **21**(14-15), 1487–1499, 2009.

233. Lu, X., Zhang, W., Wang, C., Wen, T.C., & Wei, Y. One-dimensional conducting polymer nanocomposites: synthesis, properties and applications, *Prog. Polym. Sci.* **36**(5), 671–712, 2010.
234. Li, C., Bai, H., & Shi, G.Q. Conducting polymer nanomaterials: electrosynthesis and applications, *Chem. Soc. Rev.* **38**(8), 2397–409, 2009.
235. Stejskal, J., Sapurina, I., & Trchova, M. Polyaniline nanostructures and the role of aniline oligomers in their formation, *Prog. Polym. Sci.* **35**(12), 1420–81, 2010.
236. Ghosh, M., Barman, A., Meikap, A.K., De, S.K., Chatterjee, S., & Chattopadhyay, S.K. Electrical Resistivity and Magnetoresistivity of Protic Acid (H_2SO_4 and HCl)-Doped Polyaniline at Low Temperature, *J. Appl. Polym. Sci.* **75**(12), 1480-1486, 2000.
237. Han, M.G., & Foulger, S.H. Facile Synthesis of Poly(3,4-ethylenedioxothiophene) Nanofibers from an Aqueous Surfactant Solution, *Small* **2**(10), 1164–1169, 2006.
238. Aasmundtveit, K.E., Samuelsen, E.J., Pettersson, L.A.A., Inganäs, O., Johansson, T., & Feidenhans, R. Structure of thin films of poly (3, 4-ethylenedioxothiophene), *Synth. Met.* **101**(1), 561-564, 1999.
239. Saini, P., Choudhary, V., Sood, K. N., & Dhawan, S. K. Electromagnetic interference shielding behavior of polyaniline/graphite composites prepared by in situ emulsion pathway, *J. Appl. Polym. Sci.* **113**(5), 3146-3155, 2009.
240. Raghu, S., Kilarkaje, S., Sanjeev, G., Nagaraja, G.K., & Devendrappa, H. Effect of electron beam irradiation on polymer electrolytes: Change in morphology, crystallinity, dielectric constant and AC conductivity with dose, *Radiat. Phys. Chem.* **98**, 124–131, 2014.
241. Chandra, S., Annapoorni, S., Singh, F., Sonkawade, R.G., Rana, J.M.S., & Ramola, R.C. Low temperature resistivity study of nanostructured polypyrrole films under electronic excitations, *Nucl. Instrum. Meth. Phys. Res. B* **268**(1), 62–66, 2010.
242. Gupta, B., Mehta, M., Melvin, A., Kamalakannan, R., Dash, S., Kamruddin, M., & Tyagi, A.K. Poly (3,4-ethylenedioxothiophene) (PEDOT) and poly(3,4-ethylenedioxothiophene)-few walled carbon nanotube (PEDOT-FWCNT) nanocomposite based thin films for Schottky diode application, *Mater. Chem. Phys.* **147**(3), 867-877, 2014.

243. Shin, H.J., Jeon, S.S., & Im, S.S. CNT/PEDOT core/shell nanostructures as a counter electrode for dye-sensitized solar cells, *Synth. Met.* **161**(13), 1284–1288, 2011.
244. Chen, W.C., Liu, C.L., Yen, C.T., Tsai, F.C., Tonzola, C.J., Olson, N., & Jenekhe, S.A. Theoretical and experimental characterization of small band gap poly(3,4-ethylenedioxothiophene methine)s, *Macromol.* **37**(16), 5959–5964, 2004.
245. Zhong, X., Fei, G., & Xia, H. Synthesis and characterization of poly (3, 4-ethylenedioxothiophene) nanoparticles obtained through ultrasonic irradiation, *J. Appl. Polym. Sci.* **118**(4), 2146–2152, 2010.
246. Ohlan, A., Singh, K., Chandra, A., & Dhawan, S. K. Microwave Absorption Behavior of Core– Shell Structured Poly (3, 4-Ethylenedioxothiophene)– Barium Ferrite Nanocomposites, *Appl. Mater. Interfaces* **2**(3), 927-933, 2010.
247. Basavaraja, C., Park, J. Y., & Huh, D. S. Degradable and electrically conductive poly (3, 4-ethylenedioxothiophene)/sigma cell cellulose polymer composites, *Polym. Comps.* 1-9, 2015.
248. Choi, J.W., Han, M.G., Kim, S.Y., Oh, S.G., & Im, S.S. Poly(3,4-ethylenedioxothiophene) nanoparticles prepared in aqueous DBSA solutions, *Synth. Met.* **141**(3), 293–299, 2004.
249. Xiong, S., Zhang, L., & Lu, X. Conductivities enhancement of poly(3,4-ethylenedioxothiophene)/ poly(styrene sulfonate) transparent electrodes with diol additives, *Polym. Bull.* **70**(1), 237–247, 2013.
250. Pyshkina, O., Kubarkov, A., & Sergeyev, V. Poly(3,4-ethylenedioxothiophene):Synthesis and Properties, *Mater. Sci. Appl. Chem.* **21**, 51-54, 2010.
251. Garreau, S., Louarn, G., Buisson, J.P., Froyer, G., & Lefrant, S. In Situ Spectroelectrochemical Raman Studies of Poly(3,4-ethylenedioxothiophene) (PEDT), *Macromol.* **32**(20), 6807-6812, 1999.
252. Tran-Van, F., Garreau, S., Louarn, G., Froyer, G., & Chevrot, C. Fully undoped and soluble oligo(3,4-ethylenedioxothiophene)s: spectroscopic study and electrochemical characterization, *J. Mater. Chem.* **11**(5), 1378–1382, 2001.

253. Zhou, C., Liu, Z., Yan, Y., Du, X., Mai, Y.W., & Ringer, S. Electro-synthesis of novel nanostructured PEDOT films and their application as catalyst support, *Nanosc. Res. Lett.* **6**(1), 1-6, 2011.
254. Farah, A.A., Rutledge, S.A., Schaarschmidt, A., Lai, R., Freedman, J.P., & Helmy, A.S. Conductivity enhancement of poly (3, 4-ethylenedioxythiophene)-poly (styrenesulfonate) films post-spincasting, *J. Appl. Phys.* **112**(11), 113709-113716, 2012.
255. Garreau, S., Duvail, J.L., & Louarn, G. Spectroelectrochemical studies of poly (3, 4-ethylenedioxythiophene) in aqueous medium, *Synth. Met.* **125**(3), 325-(329), 2001.
256. Ouyang, J., Xu, Q., Chu, C.W., Yang, Y., Li, G., & Shinar, J. On the mechanism of conductivity enhancement in poly (3, 4-ethylenedioxythiophene): poly (styrene sulfonate) film through solvent treatment, *Polymer* **45**(25), 8443-8450, 2004.
257. Yang, J., Zeng, F., Wang, Z.S., Chen, C., Wang, G.Y., Lin, Y.S., & Pan, F. Modulating resistive switching by diluted additive of poly(vinylpyrrolidone) in poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate), *J. Appl. Phys.* **110**(11), 114518-114522, 2011.
258. Schein, L.B., & Tyutnev, A. The contribution of energetic disorder to charge transport in molecularly doped polymers, *J. Phys. Chem. C* **112**(19), 7295-7308, 2008.
259. Mott, N.F., & David, E.A. *Electronic Processes in Noncrystalline Materials*, Oxford University Press, Oxford, 1979.
260. Desai, P., Shakya, P., Kreouzis, T., Gillin, W.P., Morley, N.A., & Gibbs, M.R.J. Magnetoresistance and efficiency measurements of Al q₃-based OLEDs, *Phys. Rev. B* **75**(9), 094423-094427, 2007.
261. Yang, D., Wang, F., Ren, Y., Zuo, Y., Peng, Y., Zhou, S., & Xue, D. A Large Magnetoresistance Effect in p-n Junction Devices by the Space-Charge Effect, *Adv. Funct. Mater.* **23**(23), 2918-2923, 2013.
262. S. Cho, S. P. Heum, A. J. Heeger, C. W. Lee, & S. H. Lee, *Nature*, **441**, 65-68, 2006.
263. Aggarwal, M., Khan, S., Husain, M., Ming, T.C., Tsai, M.Y., Perng, T.P., & Khan, Z.H. Variable-range hopping in Fe₇₀Pt₃₀ catalyzed multi-walled carbon nanotubes film, *Eur. Phys. J. B* **60**(3), 319–324, 2007.

264. Shklovskii, B.I. & Efros, A.L. *Electronic Properties of Doped Semiconductors*, Springer-Verlag, Berlin, 1984.
265. Ghosh, M., Barman, A., De, S. K., & Chatterjee, S. Transport properties of HCl doped polyaniline and polyaniline–methyl cellulose dispersion, *J. Appl. Phys.* **84**(2), 806-811, 1998.
266. Foroughi, J., Spinks, G. M., Ghorbani, S. R., Kozlov, M. E., Safaei, F., Peleckis, G., Wallacea, G.G. & Baughman, R.H. Preparation and characterization of hybrid conducting polymer–carbon nanotube yarn, *Nanoscale* **4**(3), 940–945, 2012.
267. Kondawar, S.B., Deshpande, M.D., & Agrawal, S.P. Transport Properties of Conductive Polyaniline Nanocomposites Based on Carbon Nanotubes, *Int. J. Comp. Mater.* **2**(3): 32-36, 2012.
268. Menon, R. *Organic Photovoltaics*, Springer Verlag, New York, 2003.
269. Long, Y., Chen, Z., Zhang, X., Zhang, J., & Liu, Z. Synthesis and electrical properties of carbon nanotube polyaniline composites, *Appl. Phys. Lett.* **85**(10), 1796-1798, 2004.
270. Menon, R., Yoon, C.O., Moses, D., Heeger, A.J. Transport in polyaniline near the critical regime of the metal-insulator transition, *Phy. Rev. B* **48**(24), 17685-17694, 1993.
271. Nguyen, V.L., Spivak, B.Z., & Shkiovskii, B.I. superconducting flux quanta in hopping conductivity, *JETP Lett.* **41**(1), 35-38, 1985.
272. Sivan, U., Entin-Wohlman, O., Imry, Y. Orbital magnetoconductance in the variable-range – hopping regime, *Phys. Rev. Lett.* **60**(15), 1566-1569, 1988.
273. Papathanassiou, A.N., Grammatikakis, J., Sakellis, I., Sakkopoulos, S., Vitoratos, E., & Dalas, E. Low frequency dielectric relaxation phenomena in conducting polypyrrole and conducting polypyrrole-zeolite composites, *J. Appl. Phys.* **96**(7), 3883-3888, 2004.
274. Banerjee, S., & Kumar, A. Dielectric spectroscopy for probing the relaxation and charge transport in polypyrrole nanofibers, *J. Appl. Phys.* **109**(11), 114313-114321, 2011.
275. Dey, A., De, S., De, A., & De, S.K. Characterization and dielectric properties of polyaniline–TiO₂ nanocomposites, *Nanotech* **15**(9), 1277-1283, 2004.

276. Kumar, V.R., & Veeraiah, N. Dielectric properties of ZnF₂-PbO-TeO₂ glasses, *J. Phys. Chem. Solids* **59**(1), 91-97, 1998.
277. Chakraborty, S., Sadhukhan, M., Chaudhuri, B.K., Mori, H., & Sakata, H. Frequency dependent electrical conductivity and dielectric relaxation behavior in amorphous (90V₂O₅-10Bi₂O₃) oxide semiconductors doped with SrTiO₃, *Mater. Chem. Phys.* **50**(3), 219-226, 1997.
278. Al-Hajry, A., Tashtoush, N., & El-Desoky, M.M. Characterization and transport properties of semiconducting Fe₂O₃-Bi₂O₃-Na₂B₄O₇ glasses, *Physica B* **368**(1), 51-57, 2005.
279. Farid, A.M., Atyia, H.E., & Hegab, N.A. AC conductivity and dielectric properties of Sb₂Te₃ thin films, *Vacuum* **80**(4), 284-294, 2005.
280. Ghosh, P., Sarkar, A., Meikap, A. K., Chatopadhyay, S. K., Chatterjee, S. K., & Ghosh, M. Electron transport properties of cobalt doped polyaniline, *J. Phys. D: Appl. Phys.* **39**(14), 3047-3052, 2006.
281. Mohamed, M.I. AC conductivity and dielectric constant of poly(vinyl alcohol) doped with MnSO₄, *J. Phys. Chem. Solids* **61**(8), 1357-1361, 2000.
282. Dyre, J. C., & Schröder, T. B. Universality of ac conduction in disordered solids, *Rev. Mod. Phys.* **72**(3), 873-892, 2000.
283. Ghosh, A., & Pan, A. Scaling of the conductivity spectra in ionic glasses: dependence on the structure, *Phys. Rev. Lett.* **84**(10), 2188-2190, 2000.
284. Chakraborty, G., Gupta, K., Rana, D., & Meikap, A.K. Dielectric relaxation in polyvinyl alcohol-polypyrrole-multiwall carbon nanotube composites below room temperature, *Adv. Nat. Sci.: Nanosci. Nanotechnol.* **4**(2), 025005-025010, 2013.
285. Jiang, F., Yue, R., Du, Y., Xu, J., & Yang, P. A one-pot 'green' synthesis of Pd-decorated PEDOT nanospheres for nonenzymatic hydrogen peroxide sensing, *Biosens. Bioelectron.* **44**, 127-131, 2013.
286. Maddison, D.S., & Tansley, T.L. Variable range hopping in polypyrrole films of a range of conductivities and preparation methods, *J. Appl. Phys.* **72**(10), 4677-4682, 1992.
287. Nath, C., & Kumar, A. Fractal like charge transport in polyaniline nanostructures, *Physica B* **426**, 94-102, 2013.
288. Long, A.R. Frequency-dependent loss in amorphous semiconductors, *Adv. Phys.* **31**(5), 553-637, 1982.

289. Zuo, F., Angelopoulos, M., MacDiarmid, A.G., & Epstein, A.J. AC conductivity of emeraldine polymer, *Phys. Rev. B* **39**(6), 3570-3578, 1989.
290. Legros, F., & Fourrier-Lamer, A. Dielectric properties of doped polypyrrole in the 5 Hz–1 GHz frequency range, *Mat. Res. Bull.* **19**(9), 1109-1117, 1984.
291. Annapoorni, S., Sundaresan, N.S., Pandey, S.S., & Malhotra, B.D. Photocarrier mobility in processable polyaniline, *J. Appl. Phys.* **74**(3), 2109-2111, 1993.
292. Richert, R., & Wagner, H. The dielectric modulus: relaxation versus retardation, *Solid State Ionics*, **105**(1), 167-173, 1998.
293. Kulkarni, S., Nagabhushana, B.M., Parvatikar, N., Koppalkar, A., Shivakumara, C., & Damle, R. Dielectric and electrical studies of Pr³⁺ doped nano CaSiO₃ perovskite ceramics, *Mater. Res. Bull.* **50**, 197–202, 2014.
294. Intatha, U., Eitssayeam, S., Wang, J., & Tunkasiri, T. Impedance study of giant dielectric permittivity in BaFe_{0.5} Nb_{0.5} O₃ perovskite ceramic, *Curr. Appl. Phys.* **10**(1), 21–25, 2010.
295. Mahapatra, S.P., Tripathy, D.K., & Lee, Y. Electrical response of microcellular EPDM rubber composites: complex dielectric modulus formalism and current–voltage characteristics, *Polym. Bull.* **68**(7), 1965-1976, 2012.
296. Machappa, T., & Prasad, M.A. AC conductivity and dielectric behavior of polyaniline/sodium metavanadate (PANI/NaVO₃) composites, *Physica B* **404**(21), 4168-4172, 2009.
297. Javadi, H.H.S., Zuo, F., Cromack, K.R., Angelopoulos, M., MacDiarmid, A.G., & Epstein, A.J. Charge transport in the “emeraldine” form of polyaniline, *Synth. Met.* **29**(1), 409-416, 1989.
298. Saafan, S.A., El-Nimr, M.K., & El-Ghazzawy, E.H. Study of dielectric properties of polypyrrole prepared using two different oxidizing agents, *J. Appl. Polym. Sci.* **99**(6), 3370-3379, 2006.
299. Hanafy, T.A. Dielectric relaxation and alternating current conductivity of lanthanum, gadolinium, and erbium-polyvinyl alcohol doped films, *J. Appl. Phys.* **112**(3), 034102-034111, 2012.
300. Matveeva, E.S., Calleja, R.D., & Parkhutik, V.P. Impedance study of chemically synthesized emeraldine form of polyaniline, *Electrochim. Acta* **41**(7), 1351-1357, 1996.

301. Zhao, C., Zhao, C.Z., Werner, M., Taylor, S., & Chalker, P. Dielectric relaxation of high-k oxides, *Nanoscale Res. Lett.*, **8**(1), 456-467, 2013.
302. Mashimo, S., Nozaki, R., Yagihara, S., & Takeishi, S. Dielectric relaxation of poly (vinyl acetate), *J. Chem. Phys.*, **77**(12), 6259-6262, 1982.
303. Soares, B.G., Leyva, M.E., Barra, G.M., & Khastgir, D. Dielectric behavior of polyaniline synthesized by different techniques, *Eur. Polym. J.*, **42**(3), 676-686, 2005.
304. Wu, L., Ogawa, Y., & Tagawa, A. Electrical impedance spectroscopy analysis of eggplant pulp and effects of drying and freezing-thawing treatments on its impedance characteristics, *J. Food Engg.* **87**(2), 274–280, 2008.
305. Lee, H.T., Liao, C.S., & Chen, S.A. Conductivity relaxation of polyaniline, *Makromol. Chem.*, **194**(9), 2443-2453, 1993.
306. Macedo, P.B., Moynihan, C.T., & Bose, R. Role of ionic diffusion in polarization in vitreous ionic conductors, *J. Phys. Chem. Glass*, **13**(6), 171-179, 1972.
307. Chen, S.A., & Liao, C.S. Conductivity relaxation and chain motions in conjugated conducting polymers: neutral poly (3-alkylthiophenes), *Macromol.* **26**(11), 2810-2816, 1993.
308. Almond, D. P., West, A. R., & Grant, R. Temperature dependence of the ac conductivity of Na β -alumina, *Solid State Commun.* **44**(8), 1277-1280, 1982.
309. Chakraborty, G., Meikap, A.K., Babu, R., & Blau, W.J. Activation behavior and dielectric relaxation in polyvinyl alcohol and multiwall carbon nanotube composite films, *Solid State Commun.* **151**(10), 754–758, 2011.
310. Han, M.G., & Im, S.S. Dielectric spectroscopy of conductive polyaniline salt films, *J. Appl. Polym. Sci.* **82**(11), 2760-2769, 2001.
311. Lu, H., Zhang, X., & Zhang, H. Influence of the relaxation of Maxwell-Wagner-Sillars polarization and dc conductivity on the dielectric behaviors of nylon 1010, *J. Appl. Phys.* **100**(5), 054104-054111, 2006.
312. Kachroudi, A., Kahouli, A., Legrand, J., & Jomni, F. Dielectric and Conduction Mechanisms of Parylene N at High Temperature: Phases Transition Effect, *J. Phys. Chem. A* **119**(24), 6428-6435, 2015.
313. Bergman, R. General susceptibility functions for relaxations in disordered systems, *J. Appl. Phys.* **88**(3), 1356-1365, 2000.

314. Migahed, M.D., Bakr, N.A., Abdel-Hamid, M.I., El-Hanafy, O., & El-Nimr, M. Dielectric relaxation and electric modulus behavior in poly (vinyl alcohol)-based composite systems, *J. Appl. Polym. Sci.*, **59**(4), 655-662, 1996.
315. Karahaliou, P.K., Xanthopoulos, N., Krontiras, C.A., & Georga, S.N. Dielectric response and ac conductivity analysis of hafnium oxide nanopowder, *Phys. Scr.* **86**, 065703-, 2012.
316. Bale, S., & Rahman, S. Electrical conductivity studies of Bi_2O_3 - Li_2O - ZnO - B_2O_3 glasses, *Mater. Res. Bull.* **47**(5), 1153-1157, 2012.

List of Publications

In refereed journals

1. **P. Chutia**, A. Kumar, Dielectric and conductivity relaxation in poly(3,4-ethylenedioxothiophene) nanotubes, *Polymer Engineering and Science* (Accepted).
2. **P. Chutia**, A. Kumar, Charge-carrier relaxation dynamics and ac conductivity scaling of poly (3, 4-ethylenedioxothiophene) nanoparticles, *Physica Status Solidi A* 1-11, 2015.
3. **P. Chutia**, A. Kumar, Electrical conduction mechanism of poly (3, 4-ethylenedioxothiophene) nanofiber bundles at low temperature, *Applied Physics A* **120** 1059-1068, 2015.
4. **P. Chutia**, A. Kumar, Charge carrier relaxation studies in poly (3, 4-ethylenedioxothiophene) nanofibers, *Journal of Polymer Research* **22**, 122-131, 2015.
5. **P. Chutia**, A. Kumar, Temperature-and magnetic field-dependent electrical transport studies of poly (-3, 4 ethylenedioxothiophene) nanoparticles, *Journal of Nanoparticle Research* **16**, 2617-2626, 2014.
6. **P. Chutia**, A. Kumar, Electrical transport and morphological studies of polyaniline nanostructures, *Polymer Engineering & Science* **55**, 995-1002, 2015.
7. **P. Chutia**, A. Kumar, Electrical, optical and dielectric properties of HCl doped polyaniline nanorods, *Physica B: Condensed Matter* **436** 200-207, 2014.
8. **P. Chutia**, Chandrani Nath, A. Kumar, Dopant size dependent variable range hopping conduction in polyaniline nanorods, *Applied Physics A* **115**, 943-951, 2014.

Book chapter

1. **P. Chutia**, and A. Kumar, "Electrical transport and thermal stability study of camphorsulphonic acid doped polyaniline nanorods" pp. 87-84, ISBN: 978-93-82746-02-7.

Papers presented in conferences

1. **P. Chutia** and A. Kumar, **National conference on transport properties in low dimensional systems: experiment and simulation (TransLES-2014)**, IASST, Guwahati, Assam, India, December 11-13, 2014.
2. **P. Chutia** and A. Kumar, **National Seminar on Recent Trends of Research in Science and Technology**, Cotton College, Cotton College State University, Guwahati, Assam, India, 29 March, 2014.
3. **P. Chutia** and A. Kumar, **20th National Magnetic Resonance Society Symposium [NMRS-2014]**, Tezpur University, Tezpur, Assam, India, February 2-5, 2014.
4. **P. Chutia** and A. Kumar, **National Seminar on Current Trends in Physics Research (NSCTPR-2014)**, Department of Physics, Darrang College, Tezpur, Assam, India, 30th January-1st February, 2014.
5. **P. Chutia** and A. Kumar, **National Conference on Physical Sciences (NCPS)**, Department of Physics, D.H.S.K. College, Dibrugarh, Assam, India, September 13-14, 2013.
6. **P. Chutia** and A. Kumar, **National conference on condensed Matter days (CMDAYS-2013)**, National Institute of Technology, Rourkela, Orissa, India, August 29-31, 2013.