

CONTENTS

List of table	i
List of figure	ii
Nomenclature	iv
Chapter 1	1
1.1 Introduction	1
1.2 Renewable energy sources	2
1.3 Solar radiation	3
1.4 Photovoltaic (PV) overview	4
1.5 PVcell technology	5
1.6 Conversion efficiency	5
1.7 Indian SPV energy scenario	5
1.8 Benefit solar energy over distributed energy	6
1.9 Application of solar energy as renewable energy	7
1.10 Solar cell	8
1.11 Flow chart of solar cell	9
1.12 Battery	9
1.13 Objective of the work	11
Chapter 2 Review of Literature	12
Chapter 3 Methodology	15
3.1 Designing of Battery charging circuit using LM317 voltage regulator	16
3.2 Designing of automatic street lighting system	20
Chapter 4 Result and Discussion	
4.1 Output voltage of the solar module at different intensities of light	42
4.2 Working of Zener Diode	42
4.3 Working of light emitting diode	43
4.4 Working of IC LM317 (using power supply)	43
4.5 Working of LM 317 (using solar panel)	44
4.6 Working of solar charger with light emitting diode	44
4.7 The charging of batteries using the solar panel	45
4.8 The discharging of batteries	46

Chapter 5	47
5.1 Conclusion	47
5.2 Future work	47
Reference	48
Appendix	50

LIST OF FIGURES

1. Fig1.1 Potential of Renewable power
2. Fig1.2 State wise potential of renewable energy
3. Fig 1.3 Technology & different types PV cell
4. Fig 1.4 An example of a solar water heating system
5. Fig: 1.5 Electricity generations in a typical solar cell
6. Fig 1.6 Photovoltaic solar cell to photovoltaic solar array
7. Fig 1.7 A Lead Acid battery
8. Fig 3.1 Block diagram of solar charging circuit with automatic street lighting system
9. Fig 3.2 Block diagram of microcontroller based automatic street lighting system
10. Fig 3.3 Block diagram of solar charger
11. Fig3.5 Circuit diagram of solar charging system
12. Fig 3.6 Experimental setup of solar charging circuit
13. Fig 3.7 Solar panel
14. Fig 3.8 Circuit and pin diagram of LM317
15. Fig 3.9 Lead acid battery
16. Fig 3.10 Block diagram of Automatic Street light
17. Fig 3.11 Block diagram of power supply
18. Fig 3.12 Automatic Street light using microcontroller
19. Fig 3.13 Automatic street light using NAND gate
20. Fig 3.14 Automatic Street light fabricated in the PCB board
21. Fig 3.15 Movement of electron and hole pairs
22. Fig 3.16 Diode under forward biasing
23. Fig 3.17 Diode under reverse biasing
24. Fig 3.18 Symbol of zener diode
25. Fig 3.19 VI characteristics of Zener diode
26. Fig 3.20 Photon emission in direct and indirect band
27. Fig 3.21 Biasing of light emitting diode and energy band diagram
28. Fig 3.22 Symbols and pin diagram of led
29. Fig 3.23 Pictorial view of LDR
30. Fig 3.24 Circuit diagram of full wave rectifier

31. Fig 3.25 Waveform of full wave rectifier
32. Fig 3.26 FWR with RC load
33. Fig 3.27 Waveform of full wave rectifier with RC load
34. Fig 3.28 Pin diagram of relay
35. Fig 3.29 Symbol of transistor
36. Fig 3.30 The transistor operating state
37. Fig 3.31 Biasing of common emitter configuration
38. Fig 3.32 DC load line of the transistor
39. Fig 3.32 Architecture of 8051 microcontroller
40. Fig 3.33 Pin diagram of microcontroller
41. Fig 4.1 Testing of LED
42. Fig 4.2 Working of LED with solar charger
43. Fig 4.3 Working of control with solar panel
44. Fig 4.4 Charging of lead acid battery

LIST OF TABLES

1. Table 1.1 Conversion efficiencies of the PV module technology
2. Table 1.2 Total install capacity
3. Table 1.3 Percentage wise fuels distribution
4. Table-3.1 Led with different base material and wavelength.
5. Table 3.2 Feature of 8051 microcontroller
6. Table 3.3 Component involved in fabrication of Automatic Street light using NAND gate
7. Table 4.1 Open circuit voltage across panel at different conditions
8. Table 4.2 Working with Zener diode
9. Table 4.3 Working with IC LM317 with power supply
10. Table 4.4 Working with IC LM317 with solar panel
11. Table 4.5 Working of regulator with led
12. Table 4.6 Working regulator with solar panel and Led
13. Table 4.7 Charging of lead acid battery with solar panel
14. Table 4.8 Discharging of lead acid battery with strip of led

List of abbreviation

AC	Alternating current
CEL	Central electronics limited
DC	direct current
Eg	Energy gap
F	Frequency
FWR	Full Wave Rectifier
GW	giga Watt
HWR	Half Wave Rectifier
Ib	Base current
Ic	Collector current
Ie	Emitter current
Io	Reverse saturation current
kWh	kilowatt hour
LDR	Light dependent resistor
LED	Light emitting diode
m ²	square meter
mA	mile ampere
MNRE	Ministry of Non Renewable Energy
MW	Mega watt
NCPRE	National Centre for Photovoltaic Research and Education
PCB	Printed Circuit Board
POWERMIN	Power Ministry
PV	Photovoltaic
RES	Renewable energy sources
SHP	Small- hydro power
SPV	Solar photovoltaic
STE	Solar thermal energy
T&D	Transmission and distribution
Vbe	Base emitter voltage