

# CONTENTS

<b>Chapter</b>	<b>Page No.</b>
<b>1. Introduction</b>	<b>1.1-1.11</b>
1.1 Renewable Energy	1.1
1.2 Hydrogen Economy	1.1-1.2
1.3 Hydrogen Production	1.2-1.4
1.4 Semiconductors as Photocatalysts	1.4-1.5
1.5 Mechanism of semiconductor photocatalytic water splitting	1.5
1.6 Titanium dioxide	1.6-1.8
1.7 Visible light responsive TiO <sub>2</sub> photocatalysts	1.8-1.10
1.8 Objective and Research Plan	1.10-1.11
1.9 Conclusion	1.11
<b>2. Experimental</b>	<b>2.1-2.8</b>
2.1 Introduction	2.1
2.2 Synthesis of TiO <sub>2</sub> nanomaterial	2.1-2.3
2.3 Sol gel Method	2.3
2.4 Materials	2.4
2.5 Synthesis Route	2.4-2.7
2.6 Conclusion	2.8
<b>3. Characterization Methods</b>	<b>3.1-3.18</b>
3.1 Introduction	3.1
3.2 Experimental	3.1-3.7
3.3 Result and Discussion	3.7-3.18
3.4 Conclusion	3.18
<b>4. Photocatalytic Activity Testing</b>	<b>4.1-4.3</b>
4.1 Photocatalytic Reactor for Water Splitting	4.1
4.2 Experimental set up	4.2
4.3 Result and Discussion	4.3

4.4 Conclusion

4.3

**5. Conclusion and Future Scope**

**5.1**

5.1 Conclusion

5.2 Future Scope

## LIST OF FIGURES

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
Fig 1.1	Mechanism of TiO <sub>2</sub> photocatalytic water-splitting for hydrogen production	1.5
Fig 1.2	The anatase and rutile phase of TiO <sub>2</sub> .	1.6
Fig 1.3	Mechanism of dye sensitized photocatalytic H <sub>2</sub> production under visible light	1.9
Fig 1.4	Semi conductor coupling	1.10
Fig 1.5	Flow chart showing the plan of the research	1.11
Fig 2.1	Flowchart of TiO <sub>2</sub> nanoparticle synthesis	2.5
Fig 2.2	Flowchart of metal doped and loaded TiO <sub>2</sub> nanoparticles	2.7
Fig 2.3	Sol gel method for material synthesis	2.7
Fig 3.1	Diffraction of X-ray in a crystal	3.1
Fig 3.2-3.5	XRDs of metal titania samples	3.8
Fig 3.6-3.8	SEM micrographs of metal titania samples	3.10
Fig 3.9	EDX spectra of 10% Cu-TiO <sub>2</sub>	3.11
Fig 3.10-3.13	PL of metal titania samples	3.12-3.13
Fig 3.14-3.17	FTIR of metal titania samples	3.13-3.14
Fig 3.18-3.21	UV-DRS spectra of metal titania samples	3.15
Fig 3.22-3.29	Optical band gap of metal titania samples	3.16-3.17
Fig 4.1	Borosilicate glass batch reactor	4.1
Fig 4.2	Purging with nitrogen	4.2
Fig 4.3	Photocatalytic reactor set up for water splitting	4.3

## LIST OF TABLES

<b>Table No.</b>	<b>Title</b>	<b>Page No.</b>
Table 1.1	Heating value for selected fuels	1.2
Table 3.1	Crystalline size of the synthesized samples	3.9
Table 3.2	Lattice parameters of the synthesized samples	3.9
Table 3.3	Band gaps of the synthesized materials	3.18