

## CONTENTS

List of figure	i
List of table	iv
<b>Chapter I: Introduction</b>	<b>1-13</b>
1.1 Introduction	
1.2 Solar energy conversion	3
1.2.1 Solar thermal	
1.2.2 Solar chemical	
1.2.3 Solar photovoltaic	
1.3 Solar cell	4
1.3.1 Types of solar cell	
1.4 Dye-sensitized solar cell	5-9
1.4.1 Construction and working mechanism	
1.4.2 Different part of dye-sensitized solar cell	
1.5 Titanium dioxide	9-10
1.5.1 Properties of TiO <sub>2</sub> nanomaterial	
1.6 Objective	11-13
1.6.1 Research plan	
<b>Chapter II: Experimental</b>	<b>14-20</b>
2.1 Introduction	
2.2 Synthesis of TiO <sub>2</sub> nanomaterial	
2.3 Sol-gel method	
2.4 Material	

2.5 Synthesis route	17-20
2.5.1 Synthesis of TiO <sub>2</sub> nanoparticle	
2.5.2 Synthesis of Cu Sensitized TiO <sub>2</sub> nanoparticle	
2.5.3 Synthesis of Ag Sensitized TiO <sub>2</sub> nanoparticle	
2.5.4 Preparation of thin film	
<b>Chapter III: Physical and chemical analysis</b>	<b>21-50</b>
3.1 Introduction	
3.2 X-ray Diffraction (XRD)	22-27
3.2.1 Determination of structural parameters	
3.3 Scanning Electron Microscopy(SEM)	28-34
3.4 Transmission Electron Microscopy(TEM)	35-38
3.5 Energy-Dispersive X-ray spectroscopy(EDX)	38-41
3.6 Fourier Transform Infrared Spectroscopy	42-44
3.7 UV-Vis Diffuse Reflectance Spectra(UV-DRS)	44-50
<b>Chapter IV: Fabrication and Testing</b>	<b>51-59</b>
4.1 Material	
4.2 Fabrication procedure	
4.3 Testing of solar cell	
4.4 Result and discussion	
<b>Chapter V: Conclusion and future scope</b>	<b>60-61</b>
Reference	
Appendix	

## List of figure

- Fig.1.1 Solar radiation on earth surface
- Fig.1.2 Different layers of DSSC
- Fig.1.3 Operation of DSSC
- Fig.1.4 The structure of anatase and rutile phase of  $\text{TiO}_2$
- Fig.1.5 Schematic representation of the plan of work using PERT diagram
- Fig.2.1 Flow chart of preparation  $\text{Cu/TiO}_2$
- Fig.2.2 Flow chart of preparation thin film
- Fig.3.1 Diffraction of X-ray from consecutive layer of atom in a crystal
- Fig.3.2 The powder XRD pattern of  $\text{Cu/TiO}_2$  with different percentage of Cu.
- Fig.3.3 The powder XRD pattern of  $\text{Ag/TiO}_2$  with different percentage of Ag.
- Fig.3.4 Principle of SEM
- Fig.3.5 SEM micrograph of CT1
- Fig.3.6 SEM micrograph of CT2
- Fig.3.7 SEM micrograph of CT3
- Fig.3.8 SEM micrograph of AT1
- Fig.3.9 SEM micrograph of AT2
- Fig.3.10 SEM micrograph of AT3
- Fig.3.11 SEM micrograph of  $\text{TiO}_2$  thin film
- Fig.3.12 SEM micrograph of  $\text{Cu/TiO}_2$  thin film
- Fig.3.13 SEM micrograph of  $\text{Ag/TiO}_2$  thin film

- Fig.3.14 Schematic diagram of TEM
- Fig.3.15 TEM image of Cu/TiO<sub>2</sub>
- Fig.3.16 TEM image of Ag/TiO<sub>2</sub>
- Fig.3.17 Principle of EDX
- Fig.3.18 EDX spectra of TiO<sub>2</sub> thin film
- Fig.3.19 EDX spectra of Cu/TiO<sub>2</sub> thin film
- Fig.3.20 EDX spectra of Ag/TiO<sub>2</sub> thin film
- Fig.3.21 FTIR analysis of Ag/TiO<sub>2</sub> with different percentage of Ag
- Fig.3.22 FTIR analysis of Cu/TiO<sub>2</sub> with different percentage of Cu.
- Fig.3.23. UV-Visible spectrum of TiO<sub>2</sub> and Cu/TiO<sub>2</sub> at different concentration
- Fig.3.24 Optical band gap of CT1
- Fig.3.25 Optical band gap of CT2
- Fig.3.26 Optical band gap of CT3
- Fig.3.27 UV-Visible spectrum of TiO<sub>2</sub> and Ag/TiO<sub>2</sub> with different concentration.
- Fig.3.38 Optical band gap of AT1
- Fig.3.29 Optical band gap of AT2
- Fig.3.30 Optical band gap of AT3
- Fig.3.31 UV-Visible spectrum of TiO<sub>2</sub> and Ag/TiO<sub>2</sub> and Cu/TiO<sub>2</sub>
- Fig.4.1 Chemical structure of N719 dye
- Fig.4.2 Absorption spectrum of the dye
- Fig.4.3 I-V characteristics of solar cell

Fig.4.4 IV characteristic of fabricated DSSC using  $\text{TiO}_2$  thin film

Fig.4.5 Performance of the cell with different illumination

### **List of table**

Table 1	Crystallite size as calculated by Scherrer's formula
Table 2	Optical band gap of the samples
Table 3	Efficiency calculation of the cell
Table 4	Variation of voltage and current with intensity