

## Table of contents

	Page no.
1. INTRODUCTION	01-08
2. BACKGROUND	09-17
3. METHODOLOGY (Experimental Procedures)	18-22
4. RESULTS AND DISCUSSION	23-52
5. CONCLUSION	52
6. REFERENCES	53-58
7. APPENDICES	59-68

## List of figures

Fig. No.	Title	Page No.
1.1	Routes from biomass to fuels and chemicals.	2
1.2	Hydrothermal processing regions referenced to the pressure–temperature phase diagram of water.	4
1.3	Density, static dielectric constant and ion dissociation constant ( $K_w$ ) of water at 30 MPa as a function of temperature.	5
2.1	Biofuels consumption (1991–2006) in the EU27.	9
2.2	Greenhouse gas emissions from production and utilisation of biofuels	11
2.3	Reactions which are occur in the hot-compressed water.	15
2.4	Simple reaction scheme of liquefaction.	16
3.1	Schematic experimental set-up of autoclave for the catalytic hydrothermal treatment of <i>Jatropha</i> cake.	19
3.2	Scheme 1: Separation and Extraction procedure.	20
4.1.a	Reaction condition vs. wt% conversion graph for products distribution from hydrothermal treatment of <i>J. Curcass</i> cake at different temperature for 15 min in thermal run.	25
4.1.b	Bar diagram representation for products distribution from hydrothermal treatment of <i>J. curcass</i> cake at different temperature for 15 min in thermal run.	26
4.1.c	Temperature profiles for thermal run.	26
4.2.a	The pressure profile of thermal runs in terms of time interval (5Min) (Heating rate 5°C/min).	29
4.2.b	The pressure profile of 1N $K_2CO_3$ runs in terms of time interval (5Min) (Heating rate 5°C/min).	29
4.2.c	The pressure profile of 0.5N $K_2CO_3$ runs in terms of time interval (5Min) (Heating rate 5°C/min).	30
4.2.d	The pressure profile of 1N KOH runs in terms of time interval (5Min) (Heating rate 5°C/min).	30
4.2.e	The pressure profile of 0.5N KOH runs in terms of time interval (5Min) (Heating rate 5°C/min).	31
4.3.a	Bar diagram representation for products distribution from hydrothermal treatment of <i>J.curcass</i> cake at different temperature for 15 min showing effect of heating rate.	33

4.4.a	Reaction condition vs. wt% conversion graph for Products distribution from hydrothermal treatment of <i>J.curcas</i> cake at different temperature for 15 min in 1N K <sub>2</sub> CO <sub>3</sub> run.	34
4.4.b	Bar diagram representation for products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min (1N K <sub>2</sub> CO <sub>3</sub> run).	35
4.5.a	Reaction condition vs. wt% conversion graph for Products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min in 0.5N K <sub>2</sub> CO <sub>3</sub> run.	36
4.5.b	Bar diagram representation for products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min (0.5N K <sub>2</sub> CO <sub>3</sub> run).	36
4.6.a	Reaction condition vs. wt% conversion graph for products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min in 1N KOH run.	38
4.6.b	Bar diagram representation for products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min (1N KOH run).	39
4.7.a	Reaction condition vs. wt% conversion graph for products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min in 0.5N KOH run.	40
4.7.b	Bar diagram representation for products distribution from hydrothermal treatment of <i>J. curcas</i> cake at different temperature for 15 min (0.5N KOH run).	41
4.9.a	FTIR spectra of biooil1 obtained from the thermal run (320°C, 5°C/min).	60
4.9.b	FTIR spectra of biooil2 obtained from the thermal run (320°C, 5°C/min).	61
4.9.c	FTIR spectra of biooil1 obtained from the 1N K <sub>2</sub> CO <sub>3</sub> run (320°C, 5°C/min).	62
4.9.d	FTIR spectra of biooil2 obtained from the 1N K <sub>2</sub> CO <sub>3</sub> run (320°C, 5°C/min).	63
4.80	pH variation of biooils with time.	42
4.11.a	FTIR spectra of organic phase obtained from Dean and Stark distillation apparatus.	64
4.13.b	XRD image of solid from thermal run.	65
4.13.c	XRD image of solid from 1N KOH catalytic run.	65
4.13.d	XRD image of solid from 0.5N K <sub>2</sub> CO <sub>3</sub> catalytic run.	66

### List of tables

Table No.	Tittle	Page No.
4.a	Properties of the <i>J. Curcas</i> Cake.	23
4.b	Elemental analysis and HHV of J curcas cake and biochar produced at different reaction condition.	23
4.1	Products distribution from hydrothermal treatment of <i>Jatropha Curcas</i> cake at different temperature @5°C/min for 15 min (thermal run).	24
4.2	Maximum pressure achieved at different run.	28
4.3	Products distribution from hydrothermal treatment of <i>Jatropha curcas</i> cake at 280°C @5°C/min for 15 min showing effect of heating rate viz. 2°C, 4°C, 6°C, 8°C.	32
4.4	Product distributions from hydrothermal treatment of biomass at 260, 280, 300, 320°C @ 5°C/min for 15 min for catalytic (1N K <sub>2</sub> CO <sub>3</sub> ) run.	34
4.5	Product distributions from hydrothermal treatment of biomass at 260, 280, 300, 320 °C @5°C/min for 15 min for catalytic (0.5N K <sub>2</sub> CO <sub>3</sub> ) run.	35
4.6	Product distributions from hydrothermal treatment of biomass at 260, 280, 300, 320°C @5°C/min for 15 min for catalytic (1N KOH) run.	38
4.7	Product distributions from hydrothermal treatment of <i>J. curcas</i> at 260, 280, 300, 320°C @5°C/min for 15 min for catalytic (0.5N KOH) run.	40
4.1	FTIR spectra of the biooils.	44
4.12	Identification of Compounds in Oil 1 by GC-MS Analysis.	46
4.13	Identification of Compounds in Oil2 by GC-MS Analysis.	47