

## CONTENTS

<b>Particulars</b>	<b>Page Number</b>
List of Figures	iii
List of Tables	viii
<b>CHAPTER 1 INTRODUCTION</b>	<b>1</b>
1.1 Gasifier types and process	3
1.2 Types of gasifying medium	8
1.3 Coal and biomass co-gasification	9
1.4 Single particle study	10
<b>CHAPTER 2 LITERATURE REVIEW</b>	<b>11</b>
2.1 Gasification	11
2.2 Co-gasification	18
2.3 Single particle study	20
<b>CHAPTER 3 OBJECTIVES OF THIS STUDY</b>	<b>22</b>
<b>CHAPTER 4 METHODOLOGY</b>	<b>24</b>
4.1 Equilibrium modeling	24
4.2 Simulation input parameters	26
4.3 Temperature and pressure for gasification	27
4.4 Carbon conversion	28
4.5 Experimental tools and techniques	28
<b>CHAPTER 5 RESULTS AND DISCUSSION</b>	<b>30</b>
5.1 Simulation results for various coal biomass mixture at various gasification temperature and equivalence ratio and different gasifying medium	31
5.1.1 Effects of moisture in gasification	32
5.1.2 Gasification of biomass with air and oxygen as gasifying medium	36
5.1.3 Gasification of coal and biomass mixture with air and oxygen as gasifying medium	43

5.1.4 Gasification of different fuel mixture with air and oxygen as gasifying medium	49
5.1.5 Gasification of biomass with different percentage of carbon conversion with air and oxygen as gasifying medium	57
5.1.6 Gasification of 90% biomass + 10% coal fuel mixture for different percentage of carbon conversion with air and oxygen as gasifying medium	60
5.1.7 Gasification of biomass with air + steam as gasifying medium	63
5.1.8 Gasification of biomass with oxygen + steam as gasifying medium	65
5.2 Single particle study	69
<b>CHAPTER 6 CONCLUSIONS</b>	<b>75</b>
<b>REFERENCES</b>	<b>77</b>

## List of Figures

Particulars Number	Page
Figure 1.1 Up Draft Gasifier	7
Figure 1.2 Down Draft Gasifier	7
Figure 1.3 Entrained Flow Gasifier	7
Figure 1.4 Bubbling Fluidized Bed Gasifier	7
Figure 1.5 Circulating Fluidized Bed Gasifier	7
Figure 1.6 Dual Fluidized Bed Gasifier	7
Figure 1.7 Plasma Gasifier	8
Figure 4.1 Spherical balls	29
Figure 4.2 Experimental setup	29
Figure 5.1 Variations of CO and CO <sub>2</sub> mole fractions with respect to ER and moisture	32
Figure 5.2 Variations of H <sub>2</sub> mole fractions with respect to ER and moisture	33
Figure 5.3 Variations of CO and CO <sub>2</sub> mole fractions with respect to temperature and moisture	34
Figure 5.4 Variations of H <sub>2</sub> mole fractions with respect to temperature and moisture	34
Figure 5.5 Variations of LHV with moisture content at a particular temperature	35
Figure 5.6 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with temperature for gasification of biomass with air as gasifying medium	37
Figure 5.7 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with ER for gasification of biomass with air as gasifying medium	37
Figure 5.8 Variations of LHV of producer gas with temperature for gasification of biomass with air as gasifying medium	38
Figure 5.9 Variations of LHV of producer gas with ER for gasification of biomass with air as gasifying medium	38
Figure 5.10 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with ER for gasification of biomass with oxygen as gasifying medium	39

Figure 5.11 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with temperature for gasification of biomass with oxygen as gasifying medium	39
Figure 5.12 Variations of LHV of producer gas with ER for gasification of biomass with oxygen as gasifying medium	40
Figure 5.13 Variations of LHV of producer gas with temperature for gasification of biomass with oxygen as gasifying medium	40
Figure 5.14 Variations of CO and CO <sub>2</sub> mole fractions with temperature for gasification of biomass with oxygen and air as gasifying mediums	41
Figure 5.15 Variations of H <sub>2</sub> mole fractions with temperature for gasification of biomass with oxygen and air as gasifying mediums	41
Figure 5.16 Variations of LHV with temperature for gasification of biomass with oxygen and air as gasifying mediums	42
Figure 5.17 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with ER for gasification of 90% biomass and 10% coal with air as gasifying medium	43
Figure 5.18 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with temperature for gasification of 90% biomass and 10% coal with air as gasifying medium	44
Figure 5.19 Variations of LHV with ER for gasification of 90% biomass and 10% coal with air as gasifying medium	44
Figure 5.20 Variations of LHV with temperature for gasification of 90% biomass and 10% coal with air as gasifying medium	45
Figure 5.21 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with ER for gasification of 90% biomass and 10% coal with oxygen as gasifying medium	45
Figure 5.22 Variations of CO, H <sub>2</sub> and CO <sub>2</sub> mole fractions with temperature for gasification of 90% biomass and 10% coal with oxygen as gasifying medium	46
Figure 5.23 Variations of LHV with ER for gasification of 90% biomass and 10% coal with oxygen as gasifying medium	46
Figure 5.24 Variations of LHV with temperature for gasification of 90% biomass and 10% coal with oxygen as gasifying medium	47
Figure 5.25 Variations of CO and CO <sub>2</sub> mole fractions with temperature for gasification of 90% biomass and 10% coal with oxygen and air as gasifying mediums	47

Figure 5.26 Variations of H <sub>2</sub> mole fractions with temperature for gasification of 90% biomass and 10% coal with oxygen and air as gasifying mediums	48
Figure 5.27 Variations of LHV with temperature for gasification of 90% biomass and 10% coal with oxygen and air as gasifying mediums	48
Figure 5.28 Variations of CO and CO <sub>2</sub> mole fractions with temperature for gasification of different fuel mixtures fuel with air as gasifying medium	49
Figure 5.29 Variations of H <sub>2</sub> mole fractions with temperature for gasification of different fuel mixtures fuel with air as gasifying medium	50
Figure 5.30 Variations of LHV with temperature for gasification of different fuel mixtures fuel with air as gasifying medium	50
Figure 5.31 Variations of CO and CO <sub>2</sub> mole fractions with ER for gasification of different fuel mixtures fuel with air as gasifying medium	51
Figure 5.32 Variations of H <sub>2</sub> mole fractions with ER for gasification of different fuel mixtures fuel with air as gasifying medium	51
Figure 5.33 Variations of LHV with ER for gasification of different fuel mixtures fuel with air as gasifying medium	52
Figure 5.34 Variations of CO and CO <sub>2</sub> mole fractions with ER for gasification of different fuel mixtures fuel with oxygen as gasifying medium	52
Figure 5.35 Variations of H <sub>2</sub> mole fractions with ER for gasification of different fuel mixtures fuel with oxygen as gasifying medium	53
Figure 5.36 Variations of LHV with ER for gasification of different fuel mixtures fuel with oxygen as gasifying medium	53
Figure 5.37 Variations of CO and CO <sub>2</sub> mole fractions with temperature for gasification of different fuel mixtures fuel with oxygen as gasifying medium	54
Figure 5.38 Variations of H <sub>2</sub> mole fractions with temperature for gasification of different fuel mixtures fuel with oxygen as gasifying medium	54
Figure 5.39 Variations of LHV with temperature for gasification of different fuel mixtures fuel with oxygen as gasifying medium	55
Figure 5.40 Variations of CO and CO <sub>2</sub> mole fractions with ER for gasification of biomass with air as gasifying medium for various carbon conversions	57

Figure 5.41 Variations of H <sub>2</sub> mole fractions with ER for gasification of biomass with air as gasifying medium for various carbon conversions	57
Figure 5.42 Variations of LHV with ER for gasification of biomass with air as gasifying medium for various carbon conversions	58
Figure 5.43 Variations of CO and CO <sub>2</sub> mole fractions with ER for gasification of biomass with oxygen as gasifying medium for various carbon conversions	58
Figure 5.44 Variations of H <sub>2</sub> mole fractions with ER for gasification of biomass with oxygen as gasifying medium for various carbon conversions	59
Figure 5.45 Variations of LHV with ER for gasification of biomass with oxygen as gasifying medium for various carbon conversions	59
Figure 5.46 Variations of CO and CO <sub>2</sub> mole fractions with ER for gasification of fuel mixture with air as gasifying medium for various carbon conversions	60
Figure 5.47 Variations of H <sub>2</sub> mole fractions with ER for gasification of fuel mixture with air as gasifying medium for various carbon conversions	60
Figure 5.48 Variations of LHV with ER for gasification of fuel mixture with air as gasifying medium for various carbon conversions	61
Figure 5.49 Variations of CO and CO <sub>2</sub> mole fractions with ER for gasification of fuel mixture with oxygen as gasifying medium for various carbon conversions	61
Figure 5.50 Variations of H <sub>2</sub> mole fractions with ER for gasification of fuel mixture with oxygen as gasifying medium for various carbon conversions	62
Figure 5.51 Variations of LHV with ER for gasification of fuel mixture with oxygen as gasifying medium for various carbon conversions	62
Figure 5.52 Variations of H <sub>2</sub> mole fractions with temperature for gasification of biomass with air + steam as gasification medium for various SBR	63
Figure 5.53 Variations of H <sub>2</sub> mole fractions with ER for gasification of biomass with air + steam as gasification medium for various SBR	64
Figure 5.54 Variations of H <sub>2</sub> mole fractions with SBR for gasification of biomass with air + steam as gasification medium for various ER	64
Figure 5.55 Variations of H <sub>2</sub> mole fractions with temperature for gasification of biomass with oxygen + steam as gasification medium for various SBR	65

Figure 5.56 Variations of H <sub>2</sub> mole fractions with ER for gasification of biomass with oxygen + steam as gasification medium for various SBR	65
Figure 5.57 Variations of H <sub>2</sub> mole fractions with SBR for gasification of biomass with oxygen + steam as gasification medium for various ER	66
Figure 5.58 Variations of H <sub>2</sub> mole fractions with SBR for gasification of biomass with oxygen + steam as gasification medium for various ER in adiabatic conditions	66
Figure 5.59 Variations of H <sub>2</sub> mole fractions with adiabatic temperature for gasification of biomass with oxygen + steam as gasification medium for various ER	67
Figure 5.60 Variations of H <sub>2</sub> with ER for gasification of biomass with oxygen + steam as gasification medium for various SBR	68
Figure 5.61 Mass losses with time for a sphere of 25 mm diameter of different fuel samples with air as oxidizer	71
Figure 5.62 Burning rate with time for a sphere of 25mm diameter of different fuel samples with air as oxidizer	71
Figure 5.63 Flaming time with surface area to volume ratio for a sphere of different fuel samples with air as oxidizer	72
Figure 5.64 Char glowing time with surface area to volume ratio for a sphere of different fuel samples with air as oxidizer	72
Figure 5.65 Ignition mass flux with diameter for sphere of different fuel samples	73
Figure 5.66 Burning time/density with diameter for sphere of different fuel samples	73

### List of Tables

<b>Particulars</b>	<b>Page Number</b>
Table 4.1 Input matrixes for simulations	27
Table 5.1 Proximate analysis	30
Table 5.2 Ultimate analysis	30
Table 5.3 Adiabatic flame temperatures with different oxidizing medium by using simulation	30
Table 5.4 Density for different composition for 25 mm diameter sphere	69
Table 5.5 Surface area to volume ratio for different compositions	69
Table 5.6 Different properties of coal and biomass	69
Table 5.7 Flaming time, char glowing time, burning time of different equivalent diameter for different samples	70