

# Contents

<b>Contents</b>	<b>viii</b>
<b>List of Figures</b>	<b>ix</b>
<b><i>List of Tables</i></b>	<b>x</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Project profile . . . . .	2
1.1.1 Project title . . . . .	2
1.1.2 Person Involved . . . . .	2
1.1.3 Guide . . . . .	3
1.1.4 About the Organization . . . . .	3
<b>2 Motivation</b>	<b>4</b>
2.1 Problem definition. . . . .	4
2.1.1 Problem objectives. . . . .	4
2.2 Related Work . . . . .	4
2.2.1 Apriori . . . . .	4
2.2.2 FP-Growth . . . . .	5
2.2.3 Other FP-Growth based approach . . . . .	6
<b>3 Proposed Algorithm</b>	<b>8</b>
3.1 Build the SBFP-Tree : . . . . .	9
3.2 Mining the SBFP-Tree : . . . . .	14
<b>4 Experimental Results</b>	<b>17</b>
4.1 Environment Used . . . . .	17
4.2 Dataset Used . . . . .	17
4.3 Discretization of dataset . . . . .	18
4.4 Results . . . . .	19
<b>5 Conclusion and future work</b>	<b>23</b>

# List of Figures

3.1	Tree after TID=1 . . . . .	9
3.2	Linked list after TID=1 . . . . .	10
3.3	Linked list after TID=2 . . . . .	10
3.4	Tree after TID=2 . . . . .	11
3.5	Tree after adding node ‘c’ . . . . .	11
3.6	Linked list after adding node ‘c’ . . . . .	12
3.7	Tree after TID=3. . . . .	12
3.8	Linked list after TID=3. . . . .	12
3.9	Tree after TID=4. . . . .	13
3.10	Linked list after TID=4. . . . .	13
3.11	Tree after TID=5. . . . .	13

# List of Tables

3.1	Trasaction dataset . . . . .	8
3.2	<i>NodeTable</i> after TID=1 . . . . .	10
4.1	Description of Datasets . . . . .	18
4.2	File size of different datasets(Market Basket) . . . . .	19
4.3	No. of nodes generated in different Datasets . . . . .	20
4.4	SBFP-Tree file size in secondary storage for datasets in Market Bas- ket(Equal Width Interval Binning) . . . . .	20
4.5	SBFP-Tree file size in secondary storage for datasets in Market Bas- ket(Recursive Minimal Entropy Partitioning) . . . . .	21
4.6	Percentage of compression after the market basket datasets being con- verted to SBFP-Tree (allowing 100% of the total nodes created to be in physical memory) . . . . .	22