

Contents

1	Introduction	1
1.1	Motivation	2
1.2	Problem Definition	3
1.3	Problem Discussion	3
1.4	Thesis Contributions	3
1.5	Thesis Organization	4
2	Cognitive Radio and Cognitive Radio Networks	5
2.1	Software-Defined Radio	5
2.1.1	What Is Software-Defined Radio?	5
2.1.2	Evolution of Software-Defined Radio	5
2.2	Cognitive Radio	6
2.3	Cognitive Radio Network	7
3	The System Model and Elementary Assumptions	9
3.1	Network Model	9
3.2	Spectrum Sensing	9
3.3	Primary Radio Activity Model	10
3.3.1	Long Term Primary Radio Activity	12
3.3.2	High Primary Radio Activity	12

3.3.3	Low Primary Radio Activity	13
3.3.4	Normal Primary Radio Activity	13
3.4	Exchange of Control Packets	13
3.5	Channel Selection Strategy in CR-MAC	13
3.6	Cross-Layer Design	14
4	The Proposed Cross Layered Design for Cognitive Radio Networks	16
4.1	Neighbor Discovery	16
4.2	Construction of Distributed TDMA Schedule	17
4.3	Exchange of Location Information	24
4.4	Traffic Generation and Routing	25
4.4.1	Rectangular Request Zone Approach	25
4.4.2	Circular Request Zone Approach	27
4.4.3	Cone-shaped Request Zone Approach	29
4.4.4	Adaptive Request Zone Approach	30
5	Simulation Setup and Result Analysis	33
5.1	Simulation Setup	33
5.2	Simulation Environment	35
5.3	Result Analysis	36
5.3.1	Impact of Request Zone Approaches	36
5.3.2	Impact of SU Density	39
5.3.3	Impact of PR Activity	44
6	Conclusions and Future Works	46
6.1	Thesis Conclusion	46
6.2	Future Works	46

List of Figures

1.1	Usage of Frequency Spectrum [11].	1
2.1	An illustration of Cognitive Cycle in Cognitive Radio	6
2.2	Illustration of white space in radio frequency spectrum	7
2.3	An illustration of a Cognitive Radio Network	8
3.1	PR Activity Model: Alternating ON/OFF Markov Renewal Process for PR activity.	10
3.2	Illustration of Long Primary Radio Activity.	12
3.3	Illustration of High Primary Radio Activity.	12
3.4	Illustration of Low Primary Radio Activity.	12
3.5	Illustration of Normal Primary Radio Activity	12
3.6	Illustration of possible inter-layer communication in cross-layer design. . .	14
4.1	Flow chart illustrating the construction of distributed TDMA schedule . .	20
4.2	Initially deployment of a cognitive radio network with 10 secondary users (SU) along with their one-hop and two-hop neighbor lists.	21
4.3	SU1 broadcasting REQUEST MESSAGE to its one-hop neighbors in Round_One. .	21
4.4	SU3 sending REPLY MESSAGE and SU's updating their neighbor lists in Round_Two.	22
4.5	SU1 broadcasting an UPDATE MESSAGE to its neighbors and updating its own TDMA schedule.	22
4.6	Network after SU's updating their TDMA schedules using the information of the UPDATE MESSAGE received from SU1.	23

4.7	CRN with SU's having their fully constructed TDMA schedules.	23
4.8	Figure illustrating rectangular request zone approach.	26
4.9	An instance illustrating routing of packets using rectangular request zone approach.	26
4.10	Figure illustrating circular request zone approach.	27
4.11	An instance illustrating routing of packets using circular request zone approach.	28
4.12	Figure illustrating cone-shaped request zone approach.	29
4.13	An instance illustrating routing of packets using cone-shaped request zone approach.	30
4.14	Figure illustrating adaptive request zone approach.	31
4.15	An instance illustrating routing of packets using adaptive request zone approach.	31
5.1	High level design of CRCN patch with Primary Radio Activity Model . . .	34
5.2	Packet delivery ratio in varying request zone approaches under normal PR activity	37
5.3	Packet delivery ratio in varying request zone approaches under low PR activity	37
5.4	Packet delivery ratio in varying request zone approaches under long PR activity	38
5.5	Packet delivery ratio in varying request zone approaches under zero PR activity	38
5.6	Packet delivery ratio in varying request zone approaches under high PR activity	39
5.7	Routing overhead in varying request zone approaches under normal PR activity	40
5.8	Routing overhead in varying request zone approaches under low PR activity	40
5.9	Routing overhead in varying request zone approaches under long PR activity	41
5.10	Routing overhead in varying request zone approaches under zero PR activity	41
5.11	Routing overhead in varying request zone approaches under high PR activity	42
5.12	Impact of SU density over routing overhead under normal PR activity . . .	42
5.13	Impact of SU density over routing overhead under zero PR activity	43
5.14	Impact of SU density over packet delivery ratio under normal PR activity .	43

5.15 Impact of SU density over packet delivery ratio under zero PR activity . .	44
5.16 Impact on PR activity over routing overhead in a network with 100 SU's .	45
5.17 Impact on PR activity over packet delivery ratio in a network with 100 SU's	45

List of Tables

5.1	Wireless channel parameters used for long PR activity	35
5.2	Wireless channel parameters used for low PR activity	35
5.3	Wireless channel parameters used for high PR activity	35
5.4	Wireless channel parameters used for normal PR activity	35

List of Algorithms

1	Construction of distributed TDMA schedule in CRN.	18
2	Round_One of distributed TDMA schedule construction.	18
3	Round_Two of distributed TDMA schedule construction.	19
4	Round_Three of distributed TDMA schedule construction.	19