

Contents

1	Introduction	5
1.1	Overview	6
1.2	Problem Statement	7
1.3	Motivation	7
1.4	Organization of the thesis	8
2	Background Study	9
2.1	Introduction of WSN	10
2.2	Mobile Agents	13
2.3	Classification of Routing Protocols	15
2.4	Data Gathering Protocols	16
2.5	Existing Protocols	21
2.6	Data Fusion using Mobile Agents	22
3	Proposed Data Gathering Mechanism	24
3.1	Introduction	25
3.2	Problem Formulation	25
3.3	Algorithm to determine the itinerary of the MAs	26
3.4	Challenges	29
3.5	System Architecture	29
3.6	Computation Model	31
3.7	Evaluation Metrics	33

4	Performance Study	37
4.1	Introduction of NS-2	38
4.2	Simulation Framework	43
4.3	Ad-hoc Wireless Simulation	48
4.4	Why NS-2??	51
4.5	Simulation Setup of the System	51
4.6	Simulation Results	55
5	Conclusion & Future Work	66
5.1	Conclusion	67
5.2	Limitations	67
5.3	Future Work	68
	References	69
	Appendix	71

List of Figures

1 Figure 2.1 Architecture of Wireless Sensor Network	12
2 Figure 2.2 Overview of Wireless Sensor Network applications	13
3 Figure 2.3 Geographic Data Collection Protocols	18
4 Figure 2.4 Grid-Based Data Collection Protocols	19
5 Figure 2.5 Cluster Data Collection Protocols	20
6 Figure 2.6 Tree Routing Protocols	20
7 Figure 3.1 A simple model of a basic scenario	25
8 Figure 3.2 Action of Mobile Agent	26
9 Figure 3.3 Life cycle of data migration in time and space	32
10 Figure 3.4 Life cycle of mobile agent migration in time and space	33
11 Figure 4.1 Architectural views of NS	39
12 Figure 4.2 C++ -- OTcl linkage	40
13 Figure 4.3 Process of network simulation using NS2	42
14 Figure 4.4 NS communication model	43
15 Figure 4.5 Network Animator	46
16 Figure 4.6 Pictorial representation of considered topology with 100 source nodes	52
17 Figure 4.7 Straight lines Movement of the sink	53
18 Figure 4.8 one step movement of the sink	54
19 Figure 4.9 Full step movement of the sink	54
20 Figure 4.10 MA dispatched by the sink	55
21 Figure 4.11 MA collecting the data from nodes	55

22	Figure 4.12 Internal aggregations by MA in the 2 nd grid	56
23	Figure 4.13 Broadcasting RREQ packet to form the route	56
24	Figure 4.14 MA moving towards the convergent node	57
25	Figure 4.15 Trace file generated in NS-2	57
26	Figure 4.16 Dumped trace files of the time taken by MAs in the movement and gathering	58
27	Figure 4.17 Dumped trace of the aggregated data by the MAs	58
28	Figure 4.18 No of nodes vs. Time Execution	61
29	Figure 4.19 Number of Nodes vs. Time Execution (comparison)	62
30	Figure 4.20 Energy Dissipation vs. No of nodes	63
31	Figure 4.21 Energy Dissipation vs. No of nodes (comparison)	64
32	Figure 4.22 No of Nodes vs. No of Rounds	65

List of Tables

1	Table 4.1: Simulation Parameters	52
2	Table 4.2: Time execution for Full step movement of the sink	59
3	Table 4.3: Time execution for 2 step movement of the sink	59
4	Table 4.4: Time execution for 1 step movement of the sink	60
5	Table 4.5: Time execution for straight line step movement of the sink	60