

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 5 |
| 1.1 | Feature selection techniques | 6 |
| 1.2 | Motivation | 7 |
| 1.3 | Objective | 8 |
| 1.4 | Contribution | 8 |
| 1.5 | Organisation of dissertation | 9 |
| 2 | Related Work | 10 |
| 2.1 | Existing feature selection methods | 10 |
| 2.2 | Discussion | 11 |
| 3 | An effective feature-feature correlation measure : ENMRS | 13 |
| 3.1 | NMRS | 13 |
| 3.2 | ENMRS | 14 |
| 3.3 | Validation | 14 |
| 3.4 | Discussion | 17 |
| 4 | An effective feature-class correlation measure : crRelevance | 18 |
| 4.1 | Proposed crRelevance | 18 |
| 4.1.1 | Algorithm and complexity analysis | 20 |
| 4.2 | Validation of crRelevance | 21 |
| 4.3 | Discussion | 24 |
| 5 | An effective feature selection technique : FPEC | 25 |
| 5.1 | Proposed FPEC | 25 |
| 5.1.1 | Algorithm of proposed method | 26 |
| 5.2 | Validation of FPEC | 27 |
| 5.2.1 | Determination of co-efficient values | 27 |

| | | |
|----------|-----------------------------------|-----------|
| 5.2.2 | Experimental results | 28 |
| 5.3 | Discussion | 28 |
| 6 | Conclusion and Future work | 31 |
| 6.1 | Future work | 32 |

List of Figures

| | | |
|-----|--|----|
| 1.1 | Feature Selection Techniques | 6 |
| 3.1 | Normal Distribution | 16 |
| 3.2 | Lognormal Distribution | 17 |
| 3.3 | Beta Distribution | 17 |
| 5.1 | Size of optimal feature subset and Accuracy of three classifier w.r.t coefficient n_1 and n_2 on Subset of Yeast cell cycle dataset | 28 |
| 5.2 | Size of optimal feature subset and Accuracy of three classifier w.r.t coefficient n_1 and n_2 on Wine dataset | 30 |

List of Tables

| | | |
|-----|---|----|
| 2.1 | Comparison of feature selection methods | 12 |
| 3.1 | p values for cluster 1 | 15 |
| 3.2 | p values for cluster 2 | 16 |
| 4.1 | An example dataset | 19 |
| 4.2 | Sorted order of F_1 of example dataset | 19 |
| 4.3 | crRelevance scores for Iris dataset | 22 |
| 4.4 | Accuracy of 3 classifiers on optimal feature set based on cr-Relevance score | 23 |
| 4.5 | crRelevance scores for Wine dataset | 23 |
| 4.6 | crRelevance scores for Glass dataset | 23 |
| 5.1 | Symbolic Representation | 27 |
| 5.2 | Dataset description | 27 |
| 5.3 | size of feature subset and accuracy of different classifier w.r.t coefficient n_1 and n_2 | 29 |
| 5.4 | Size of optimal feature subset and Accuracy of three classifier for $n_1 = 0.3$ and $n_2 = 0.7$ on three datasets | 29 |