

Contents

Contents	iv
List of Figures	vi
List of Tables	vii
1 Introduction	1
1.1 Central Dogma of Molecular Biology	4
1.2 Genetic Code Table	5
1.3 Codon Usage Bias (CUB)	5
1.3.1 Overview	5
1.3.2 Causes of CUB	6
2 Related Research Studies	9
2.1 Methods of Quantifying Codon Usage Bias	9
2.2 Measuring Effective No of Codon(EN_c)	9
2.2.1 Finding N_c Value	9
2.2.1.1 Derivation	9
2.2.1.2 Analysis	10
2.2.1.3 Limitation of Wright's formula with example	11
2.2.1.4 Suggested solution by Wright:	12
2.2.2 Modified Wright's N_c value by Sun	13
2.2.2.1 Description of Sun formula	13
2.2.2.2 Analysis	15
2.2.2.3 Pitfalls	16
2.2.3 Proposed Idea:	17

3 Improved Implementation of Nc value	18
3.1 Derivation	18
3.2 Analysis	18
4 Result and Analysis	20
4.1 ROC Curve	20
4.2 Analysis of Results by plotting ROC curve	21
4.3 Conclusion and Future Work	22
Bibliography	24

List of Figures

1.1	Central Dogma of Molecular Biology	1
1.2	Double helical structure of DNA	1
1.3	single helical structure of RNA	2
1.4	mRNA	2
1.5	rRNA	2
1.6	tRNA	2
1.7	Deoxyribose and Ribose	3
1.8	purine and pyrimidine	3
1.9	Pairing Bases	3
1.10	Protein Structure	3
1.11	Transcription and Translation	4
1.12	DNA Replication	4
1.13	Protein Synthesis	5
1.14	Universal genetic code table	6
1.15	Codon usage in E.coli	6
1.16	Codon usage in Yeast	6
1.17	Leading and lagging strand	7
2.1	Synonymous Family	10
4.1	AUC for ROC curve	21
4.2	ROC Curve by three versions of N_c for E.coli	22
4.3	web portal[http://agnigarh.tezu.ernet.in/ssankar/cub.php]	22

List of Tables

2.1	Uniform CUB	12
2.2	Uniform CUB with equal no of codon	13
2.3	High CUB	14
2.4	Highly Uniform 4-fold amino acid	15
3.1	Correlation study in E. coli	19