

Contents

1. Introduction.....	1
1.1 Motivation.....	1
1.2 Problem Statement.....	1
1.3 Solution Overview.....	2
2. Literature Analysis.....	3
2.1 Introduction.....	3
2.2 Cognitive Radio.....	4
2.3 Motivation and Requirements.....	5
2.4 Physical architecture of the cognitive radio.....	5
2.5 Cognitive capability.....	7
2.6 Reconfigurability.....	8
2.7 The Cognitive Radio Network Architecture.....	9
2.8 Main Functions of Cognitive Radio.....	10
2.8.1. Spectrum Sensing.....	11
2.8.2. Spectrum Management.....	12
2.8.2.1 Spectrum Analysis.....	12
2.8.2.2 Spectrum Decision.....	13
2.9 Spectrum Mobility.....	13
2.9.1 Spectrum Handoff.....	13
2.9.2 Spectrum Mobility Challenges.....	15
2.10 Spectrum Sharing.....	15
2.10.1 Classification of Spectrum sharing.....	16
2.10.2 Spectrum sharing challenges.....	18
2.11 Overlay and Underlay Techniques.....	19
2.12 Game Theory.....	20
2.12.1 Coalitional Game Theory.....	20
3 The Proposed Scheme.....	21
3.1 System Model and Assumption.....	21
3.1.1 Network Model.....	22
3.1.2 Sharing Operation by Cognitive Radio Users.....	23
3.1.2.1 Time Slot Structure.....	23
3.1.2.2 Determination of Transmission Power, Interference, SINR and Capacity.....	24

3.2 Formulation of coalitional Game for Cooperative Spectrum Sharing.....	26
3.2.1 Basic Game Model.....	26
3.2.2 Utility function design.....	26
3.2.3 Coalitional Game with transferable Utility.....	26
3.2.4 Revenue of the Coalition(S).....	27
3.2.5 Optimization of Throughput.....	27
3.2.6 Cost in Terms of Time Spent During Taking Decision.....	28
3.2.7 Coalition Formation.....	28
3.2.7.1 Algorithm for channel assignment among CR users in a Coalition	28
3.2.7.1.1 First Fit.....	29
3.2.7.1.2 Best Fit.....	30
3.2.7.1.3 Worst Fit.....	30
4 Performance Study.....	31
4.1 Simulation Environment.....	32
4.2 Results and Analysis.....	32
4.2.1 First Fit.....	32
4.2.1.1 Small Network.....	32
4.2.1.2 Medium Network.....	33
4.2.1.3 Large Network.....	35
4.2.2 Best Fit.....	36
4.2.2.1 Small Network.....	37
4.2.2.2 Medium Network.....	38
4.2.2.3 Large Network.....	39
4.2.3 Worst fit.....	41
4.2.3.1 Small Network.....	41
4.2.3.2 Medium Network.....	42
4.2.3.3 Large Network.....	44
4.3 Summary of Performance Study.....	45
5 Conclusion and Future Work.....	46
5.1 Conclusions.....	46
5.2 Future Work.....	46
Bibliography.....	48

List of Figures

Figure 2.1: Opportunistic access of white spaces in frequency spectrum	4
Figure 2.2: Physical architecture of the cognitive radio	6
Figure 2.3: Basic cognitive cycle.....	7
Figure 2.4: Cognitive radio architecture.....	10
Figure 2.5: Handoff decision and network communication	14
Figure 2.6: Classification of spectrum sharing in Cognitive radio	16
Figure 2.7(i): UWB Underlay Waveform	19
Figure 2.7(ii): Cognitive Radio (CR) Overlay Waveform	19
Figure 2.7(iii): Overlay and Underlay CR Waveform	20
Figure 3.1: Single hop architecture.....	23
Figure 4.1: User vs channel simulation curve in small network using first fit	33
Figure 4.2: User vs channel simulation curve in medium network using first fit	34
Figure 4.3: User vs channel simulation curve in large network using first fit	36
Figure 4.4: User vs channel simulation curve in small network using best fit	37
Figure 4.5: User vs channel simulation curve in medium network using best fit	39
Figure 4.6: User vs channel simulation curve in large network using best fit	40
Figure 4.7: User vs channel simulation curve in small network using worst fit	42
Figure 4.8: User vs channel simulation curve in medium network using worst fit	43
Figure 4.9: User vs channel simulation curve in large network using worst fit	44

Lists of Tables

Table 3.1: System Model and Assumption.....	21
Table 4.1: parameter metrics.....	31
Table 4.2: values of different parameters used in simulation for small network using First fit.....	32
Table 4.3: values of different parameters used in simulation for medium network using First fit.....	34
Table 4.4: values of different parameters used in simulation for large network using First fit	35
Table 4.5: values of different parameters used in simulation for small network using Best Fit	37
Table 4.6: values of different parameters used in simulation for medium network using Best Fit	38
Table 4.7: values of different parameters used in simulation for large network using Best Fit	40
Table 4.8: values of different parameters used in simulation for small network using Worst Fit	41
Table 4.9: values of different parameters used in simulation for medium network using Worst Fit	43
Table 4.10: values of different parameters used in simulation for large network using Worst Fit.....	44