

Contents

Abstract.....	vi
1. Introduction.....	1
1.1 Overview of Cognitive Radio Networks.....	1
1.2 Motivation.....	3
1.3 Problem Definition.....	3
1.4 Contribution of the Dissertation.....	3
1.5 Organization of the Dissertation Report	3
2. Background Study and Related Work.....	4
2.1 Background Study.....	4
2.1.1 Cognitive Radio	4
2.1.2 Cognitive Radio Network (CRN) working process.....	4
2.1.2.1 Sense (Cognitive capability)	5
2.1.2.2 Understand (Self-Organized capability).....	6
2.1.2.3 Decide (decision capability)	6
2.1.2.4 Adapt (Reconfigurable capability)	7
2.1.3 Spectrum Sensing.....	7
2.1.3.1 Local Sensing.....	8
2.1.3.2 Cooperative Sensing	8
2.1.3.2.1 Primary Signal Detection in Cooperative Sensing.....	8
2.1.3.2.2 Classification of Cooperative Sensing	9
2.1.3.2.3 Elements of Cooperative Sensing:.....	10
2.2 Related Works	12
3. The Proposed Scheme.....	14
3.1 System Model and Assumptions.....	14
3.1.1 Network Model	15
3.1.2 Sensing Operation by Secondary Users	16
3.1.2.1 Time slot structure	16
3.1.2.2 Energy spent module	16
3.1.2.3 Determination of P_f and P_d	17
3.2 Formulation of coalitional game for Cooperative Spectrum Sensing.....	18
3.2.1 Basic game model	18
3.2.2 Utility function Design	18
3.2.3 Coalition games with Non-transferable utility.....	19
3.2.4 Throughput of the coalition S	19

3.2.5 Optimization of the cost parameters of the utility function	20
3.2.5.1 Cost in terms of time spent during reporting	20
3.2.5.2 Cost in terms of energy spent during reporting	22
3.2.6 Stability of the coalition structure	23
3.2.7 Distributed Cooperative Spectrum Sensing algorithm	24
4. Simulation Results and Observations	25
4.1 Throughput with the increasing number of <i>SUs</i>	25
4.2 <i>Pf</i> with the increase in the number of <i>SUs</i> for given <i>Pd</i>	26
4.3 Energy spent during reporting with increasing distance	27
4.4 Avg. distance vs. distance of individual <i>SU</i>	28
4.5 Reporting energy vs. Coalition Head	29
4.6 Optimal throughput with the increasing number of <i>SUs</i>	30
4.7 Target <i>Pf</i> vs. optimal size of coalition.....	30
5. Conclusion and Future Work	32
5.1 Conclusion	32
5.2 Future Work	32
References.....	33

List of Figures

Figure 1.1: Opportunistic access of white spaces in frequency spectrum [2]	1
Figure 1.2: An example of receiver uncertainty, multipath and shadow fading [8].	2
Figure 2.1: An illustration of working process of Cognitive Radio Network [17]	5
Figure 2.2: An illustration of centralized Cooperative Spectrum Sensing [8]	9
Figure 2.3: An illustration of distributed Cooperative Spectrum Sensing [8]	9
Figure 2.4: An illustration of relay-assisted Cooperative Spectrum Sensing [8]	10
Figure 2.5: An illustration of the elements of cooperative sensing [8].....	11
Figure 3.1: Time slot structure	16
Figure 4.1: Throughput vs. <i>SUs</i>	25
Figure 4.3: P_f vs. Number of <i>SUs</i> in proposed model for given values of P_d	27
Figure 4.5: Avg. distance of <i>SUs</i> vs. distance of individual <i>SU</i> w.r.t. <i>PU</i>	28
Figure 4.6: Reporting energy vs. Coalition Head	29
Figure 4.7: Throughput vs. <i>SUs</i>	30
Figure 4.8: Target P_f vs. Optimal coalition.....	31

List of Tables

Table 3.1: List of symbols and their notations.....	15
Table 4.1:Values of the different parameters used in simulations.	25
Table 4.2: Distance of <i>SUs</i> from <i>PU</i> and avg. distance of <i>SUs</i> from all other <i>SUs</i>	29

List of Algorithms

Algorithm 3.1: Selection of coalition head within a coalition	23
Algorithm 3.2: Distributed Cooperative Spectrum Sensing.....	24